



Bimodal buckling governs human fingers' luxation

Massimiliano Fraldi^{a,b,1,2}, Stefania Palumbo^{a,b,1}, Arsenio Cutolo^{a,b,1}^(b), Angelo Rosario Carotenuto^{a,b,1}, and Davide Bigoni^{c,1,2}

Edited by Huajian Gao, Nanyang Technological University, Singapore, Singapore; received July 9, 2023; accepted September 25, 2023

Equilibrium bifurcation in natural systems can sometimes be explained as a route to stress shielding for preventing failure. Although compressive buckling has been known for a long time, its less-intuitive tensile counterpart was only recently discovered and yet never identified in living structures or organisms. Through the analysis of an unprecedented all-in-one paradigm of elastic instability, it is theoretically and experimentally shown that coexistence of two curvatures in human finger joints is the result of an optimal design by nature that exploits both compressive and tensile buckling for inducing luxation in case of traumas, so realizing a unique mechanism for protecting tissues and preventing more severe damage under extreme loads. Our findings might pave the way to conceive complex architectured and bio-inspired materials, as well as next generation artificial joint prostheses and robotic arms for bio-engineering and healthcare applications.

finger joint | dislocation | tensile buckling | elastic stability

Bones are connected through joints, the articulations, permitting the specialized movements necessary for everyday activities and, simultaneously, providing stability to the musculoskeletal system.

Among the structurally and functionally different types of articulations, synovial joints—also known as diarthroses—offer the highest degree of motion and are typical of shoulders, knees, elbows, hips, hands, and feet (1, 2), which are all indeed implicated in locomotion and handling of objects (3).

In human fingers, the diarthroses house the terminals of the joined bones in a cavity enveloped by an articular capsule (4) that structurally connects the adjacent bones by way of its outermost fibrous layer and secretes a viscous fluid filling the space of the cavity through an inner membrane, the synovium, Fig. 1. Both the synovial fluid and the sheets of hyaline cartilage that coat bones' articulating surfaces eliminate friction and absorb shocks during movements (5–7). Finally, extracapsular ligaments (7, 8) and the suction-like effect, which provides negative intra-articular pressure in response to bone ends' distraction (i.e., separation) (9–14), contribute toward mechanical stabilization of the joint (15).

As a result of their continuous involvement in body movements, synovial joints are frequently subject to injuries, luxations being among the most common ones. They consist in an abnormal displacement between the articulating bones, whose ends in contact move out of their anatomical position, either for returning back (sub-luxation) or fully and irreversibly dislocating (complete luxation) (16–18). In fingers, dislocations typically occur in case of impacts due to falls or collisions during sport (19, 20), or as a consequence of over-stretching caused by climbing or accidental fingers' trapping (21–23).

From a mechanical standpoint, luxations can be seen as the response of the bonejoint-bone structural system to either abnormal compressive or tensile forces, giving rise to the two mechanisms sketched in Fig. 1 and highlighted by X-ray images as well. The geometrical configurations assumed by dislocated fingers, which recall deviation of hinged bars due to elastic stability, as well as the extremely regular shape of the bone epiphyses shown in Fig. 1, prompts the question of whether luxations may conceal a mechanical strategy to preserve bone integrity and minimize irreversible tissues damages, in the event of extraordinary loads.

To investigate this theoretically, and inspired from the two different curvatures exhibited by the bone ends at the joint level, a structural all-in-one paradigm is introduced in the present article, capable of undergoing both tensile and compressive buckling in two orthogonal planes, whose resulting kinematics retraces the corresponding two abovementioned dislocations phenomena. To best mimic the real physiology of the finger's joint, the mechanical model is equipped with elastic elements simulating ligaments and the suction effect due to the synovial capsule is additionally incorporated.

Significance

Fingers' joints are structural units that connect different bone tracts. providing simultaneously mobility and mechanical stability. Due to accidental overloads, finger joints can undergo luxations, which lead the articulating bone heads to dislocate from their anatomical position. We interpret this phenomenon as a unified elastic buckling mechanism induced by both critical compressive and tensile loads and ruled by the characteristic complementary curvatures exhibited by the joint geometry in orthogonal anatomical planes. With the aid of a theoretical model and of an experimental proof-of-concept, we show how luxations represent a natural instability-based strategy to lower excessive mechanical stresses and avoid more severe injuries potentially compromising fingers' functionality.

Author affiliations: ^aDepartment of Structures for Engineering and Architecture, University of Napoli "Federico II", Napoli 80125, Italia; ^bLaboratory of Integrated Mechanics and Imaging for Testing and Simulation, University of Napoli "Federico II", Napoli 80125, Italia; and ^cDepartment of Civil, Environmental and Mechanical Engineering, University of Trento, Trento 38123, Italia

Author contributions: M.F. and D.B. designed research; S.P., A.C., and A.R.C. performed research; and M.F., S.P., A.C., A.R.C., and D.B. wrote the paper.

The authors declare no competing interest.

This article is a PNAS Direct Submission.

Copyright © 2023 the Author(s). Published by PNAS. This article is distributed under Creative Commons Attribution-NonCommercial-NoDerivatives License 4.0 (CC BY-NC-ND).

²To whom correspondence may be addressed. Email: fraldi@unina.it or davide.bigoni@unitn.it. Published October 23, 2023.

 $^{^1\}ensuremath{\mathsf{M.F.}}$ s.P., A.C., A.R.C., and D.B. contributed equally to this work.




Fig. 1. On the *Left*, a sketch of the anatomy of the human hand highlighting the main components of the musculoskeletal system that drive the mechanics of finger joints, with a focus on the suction-like effect limiting articular distractions, inset adapted from ref. 9. On the *Right*, sketches and original RX images reproducing the complementary mechanisms of finger joints' dislocation occurring in orthogonal anatomical planes of the hand: example of compression-induced dorsal/volar luxation in the sagittal (or lateral) plane, characterized by a strong curvature of the bone terminals, and illustration of a lateral luxation determined by a high tensile load in the transversal (horizontal) plane, where a weak curvature marks the geometry of the bones' ends.

In this way, buckling-induced deviation of bone segments from their physiological configuration is demonstrated to allow a strong decrease of the overall elastic energy and a relief of mechanical stresses, so preventing cracking in bone and tears of ligaments and tendons, under both compressive and tensile accidental loads. Our conclusion is that the finger structure not only provides a key manifestation of tensile buckling in nature (24) but might also represent a unique biological system whose geometrical and mechanical features are optimally designed to shield tissues from high stresses, by harnessing in one system both compressive and tensile elastic instabilities (25–28). This could open interesting perspectives for integrated neuro-mechanical design of bionic hands, robotic prostheses, and exoskeletons for human rehabilitation and other bioengineering applications (29).

A Luxation-Inspired All-in-one Buckling Paradigm

The epiphyses of fingers' bones, at interphalangeal and metacarpophalangeal joints, evidence two remarkably different curvatures in the two orthogonal anatomical planes, which affect the type and range of movements of the articulated bone segments (Fig. 1). In fact, an ideal longitudinal section through the sagittal plane highlights a strong curvature allowing for smooth flexion and extension, while a weak curvature is exhibited in the transverse plane, where mobility is almost completely locked. Apart from the role of the nonspheroidicity of the joint in limiting the physiological range of motion, we propose that the double, "strong and weak", curvature is additionally involved in driving fingers' luxations under severe accidental loads, as a way to prevent more serious damages of the articulation. In particular, guided by the observation of the abnormal deviation of phalanges led by luxations under both compressive and tensile extreme forces, we here interpret luxations as an elastic equilibrium bifurcation phenomenon. To this aim, an ad hoc conceived mechanical model is introduced, equipped with a generalized slider constraint, characterized by a double curvature in two orthogonal planes (whose projections are shown in Fig. 2). This model allows the analysis of the onset of elastic instability and the transition from compressive to tensile modes of buckling in the resulting all-in-one buckling paradigm.

More in detail, the system comprises two rigid rods interconnected by a hinge-slider joint, which consists of two circular tracks in smooth mutual contact and only allows a relative sliding




Fig. 2. Structural scheme of the proposed all-in-one paradigm of elastic instability undergoing (*A*) compressive and (*B*) tensile buckling in orthogonal planes as a function of the ratio between the joint's radius and the hinged rod's length. (*C*) (Normalized) critical load versus ratio between the joint's radius and the hinged rod's length, for an illustrative case with $L_1 = L_2 = L/2$, h = L/2, and $k_1 = k_2 L^2$. Herein, compressive $(h/2 \le R < L_1)$ and tensile $(R > L_1)$ buckling domains are evidenced, along with the geometrically incompatible region where R < h/2. Also, the divergence of the tensile critical load for $R/L_1 \rightarrow 1$ is highlighted as well as its asymptotic value $F_{Cr}^{\infty} = k_2 L/2 + \sqrt{k_2 (k_2 L^2 + 4k_1)}/2$ corresponding to the limit of straight slider, i.e., $R/L_1 \rightarrow \infty$. (*D*) Examples of equilibrium bifurcation diagram for both the cases of structure buckling under axial compression (for R = h/2 = L/4; blue curve; $F_{cr} = F_{Cr}^{-1}$) and tension (for R = 3L/4; red curve; $F_{cr} = F_{Cr}^{-1}$), by starting from an initially stable straight configuration (solid black curve) that becomes unstable (dashed black curve) beyond the bifurcation point.

without detachment (30). The extent of sliding is elastically contrasted by an internal spring, circumferentially arranged along the tracks, and the overall equilibrium of the structure is enforced by the presence of an elastic hinge, acting at one of the ends and so realizing a cantilever configuration. Such a joint reduces to a traditional hinge in the limit case of vanishing ratio between the radius of curvature and the rods' length (28), while it becomes a flat slider as in ref. 24 in the complementary condition of ideally infinite ratio. As sketched in Fig. 2, when loaded through a dead axial force F at its free end, the considered system can exhibit both compressive and tensile buckling, the first occurring in the plane where the radius of curvature of the joint is shorter than the hinged rod (strong curvature plane), while the second taking place in the orthogonal direction, where the center of relative rotation between the rigid tracts falls beyond the hinge (weak curvature plane). In the figure, **c** and **c'** denote the rotation centers of the generalized joint in the reference and current

$$u = |(R + L_2)\cos\varphi_2 - (R - L_1)\cos\varphi_1 - L|, \quad [1]$$

where $L = L_1 + L_2$, while the elongation Δl of the spring associated with the slider is

$$\Delta l = R\left(\varphi_1 - \varphi_2\right).$$
 [2]

Among the compatible deformation modes, equilibrium configurations follow from the stationarity of the total potential energy

$$\Pi = \frac{k_1}{2}\varphi_1^2 + \frac{k_2}{2}\Delta l^2 - Fu,$$
 [3]

where k_1 is the stiffness of the rotational spring constraining the hinge and k_2 is the stiffness of the spring acting along the slider, both assumed as linear elastic. Stationarity of Π leads to the system of nonlinear equations

$$\begin{cases} \left(1 + \frac{k_1}{k_2 R^2}\right) \varphi_1 - \varphi_2 - \frac{F}{k_2 R} \left(1 - \frac{L_1}{R}\right) \sin \varphi_1 = 0\\ \varphi_1 - \varphi_2 - \frac{F}{k_2 R} \left(1 + \frac{L_2}{R}\right) \sin \varphi_2 = 0 \end{cases}, \quad [4]$$

which admits bifurcation of the equilibrium solution for both the conditions of strong and weak curvature. In particular, bifurcation loads can be derived as a nontrivial solution of the linearized equations [4] with respect to the Lagrangian variables φ_1 and φ_2 , thus yielding a quadratic equation for the axial force F,

$$a_0 F^2 - a_1 F - a_2 = 0, [5]$$

with coefficients a_0 , a_1 , and a_2 given by

$$a_0 = (R - L_1) (R + L_2),$$

$$a_1 = k_1 (R + L_2) + k_2 R^2 L,$$

$$a_2 = k_1 k_2 R^2.$$
[6]

A tensile buckling force, F_{cr}^+ , is found, which refers to the weak curvature plane (where $R > L_1$), plus three compressive bifurcation forces, the lowest of which, occurring in the strong curvature plane (where $R < L_1$), can be identified as "critical", F_{cr}^- . This implies that the mechanical model predicts deviations from its straight configuration once tensile and compressive loads overcome the respective critical thresholds

$$F_{cr}^{\pm} = \frac{\sqrt{a_1^2 + 4a_0a_2 \pm a_1}}{2a_0},$$
 [7]

where $a_1^2 + 4a_0a_2 \ge 0$ when $L_2 \ge L_1$.

As an illustrative case of the proposed all-in-one buckling paradigm, the critical load is plotted in Fig. 2C as a function of the ratio between the radius of the sliding joint and the hinged

rod length. It is possible to observe that the structure switches from compressive to tensile buckling when the radius R exceeds the length L_1 , $R = L_1$ thus representing a limit condition for which tensile buckling does not occur. Furthermore, bifurcation diagrams, numerically obtained as solutions of equations Eq. 4, are reported in Fig. 2D for both compressive and tensile buckling.

Finally, it is worth noticing that straightforward calculations allow to estimate the bending stiffness of the considered system at the joint level as k_2R^2 . This indicates that the double curvature, characterizing the finger joints' anatomy, naturally provides a flexibility for the sagittal (strong curvature) plane higher than that characterizing the transverse (weak curvature) plane, consistently with the kind of mobility actually observed in fingers.

Cooperation of Elastic Instability and Suction Effect in Luxation of Finger Joints

Finger joints of human hands can be considered hallmark structures for elucidating how the unique ability to experience both compressive and tensile buckling can provide key stress shielding responses to prevent bone, ligaments, and tendons from more serious mechanical damages (31). To show this, the fingers' bonejoint-bone system is structurally modeled by following the aboveillustrated concept of all-in-one buckling paradigm, as reported in Fig. 3 with reference to the transverse and sagittal anatomical planes. Therein, to account for the stabilization role played by the capsular and extracapsular fibrous tissues surrounding the articular joint, elastic bands connecting the ends of the slider are additionally incorporated in the mechanical model. Furthermore, anatomical considerations suggest the possibility that a small detachment between the epiphyses of the joined bones may occur under distracting loads. This feature is implemented in the model and coupled with the intracapsular suction effect that opposes the separation between articular surfaces (9-14, 32). Investigation of the system's response under uni-axial load yields the identification of tensile and compressive buckling as mechanisms dominating lateral and dorsal/volar luxations, respectively, occurring in the transversal and sagittal planes of the hand (16). The progression of the dislocation process after luxation, falling beyond the scope of the present study, is neglected.

Lateral Luxation Ruled by Tensile Buckling along the Weak Curvature. The mechanical models illustrated in the Fig. 3, *Left* show the tensile buckling mechanism through which finger joints undergo lateral dislocations in the horizontal anatomical plane, where the bones' interface is characterized by the weak curvature. In particular, starting from a resting condition, the action of a distracting force F initially produces a small axial separation between the articulating bone heads, remaining within physiological limits. Then, as the magnitude of the load surpasses a critical threshold, say F_{cr}^+ , the two epiphyses dislocate by deviating laterally with respect to their straight anatomical configuration.

The kinematic description of this bifurcation mode is characterized by three Lagrangian parameters, namely the rotations φ_1 and φ_2 of the rigid rods—representing bone segments—with respect to the horizontal direction, and the relative displacement Δ between their ends at the joint level. Therefore, equilibrium configurations requiring stationarity of the total potential energy

$$\Pi = \frac{k_r}{2}\varphi_1^2 + \frac{EA}{2l}\left[(l'_+ - l)^2 + (l'_- - l)^2\right] + \Upsilon_{ic} - Fu, \quad [8]$$

pnas.org




Fig. 3. *Left*: Structural schemes for the tensile-buckling mechanism governing lateral luxations of finger joints: the unloaded and underformed configuration (*Upper* part), an axially distracted configuration under physiological load (*Center*), and a buckled (laterally deviated) state induced by a load overcoming the critical threshold (*Lower* part). *Right*: Sketch of the compressive-buckling mechanism driving finger joints' dorsal/volar luxations: the load-free configuration (*Upper* part), the underformed configuration under physiological load (*Center*), and a buckled (deviated) state induced by an over-critical force (*Lower* part). *Right*: Sketch of the compressive-buckling mechanism driving finger joints' dorsal/volar luxations: the load-free configuration (*Upper* part), the underformed configuration under physiological load (*Center*), and a buckled (deviated) state induced by an over-critical force (*Lower* part). *Center*: Bifurcation diagrams exhibited by the structural model at growing tensile (red curves; $F_{cr} = F_{cr}^{-1}$) and compressive (blue curves; $F_{cr} = F_{cr}^{-1}$) load: a 3D plot showing the dimensionless force as a function of the rotation angles (*Upper* part) and the dimensionless force-displacement curve (*Lower* part). Riseline diverse identify equilibrium paths followed by the system, while dashed curve portions refer to theoretical unbuckled configurations. Results have been obtained by considering the following values for the geometrical and constitutive parameters: h = 0.2L, s = h, l = 0.25L, A = 0.15h, $\beta = 1$, t = 0.005L, $K_{ic} = 0.17E$, $k_r = 0.001EL^3$, with R = 0.55L for the tensile case (lateral luxation) and R = 0.1L for the compressive buckling (dorsal/volar luxation).

can be found by imposing $\partial \Pi / \partial \varphi_1 = \partial \Pi / \partial \varphi_2 = \partial \Pi / \partial \Delta = 0$. In particular, the work done by the force *F* can be calculated by expressing the magnitude of the horizontal displacement at the right end as

$$u = |(R + L/2)\cos\varphi_2 - (R - L/2 - \Delta)\cos\varphi_1 - L|, \quad [9]$$

where L/2 is the length of each of the two rigid tracts, so that L is the whole length of the undeformed system, and Ris the radius of curvature of the joint, with R > L/2 (weak curvature) in the considered anatomical plane. Moreover, the internal elastic energy is provided by the sum of those stored during the deformation inside of the rotational spring at the hinge and of the two bands, both modeled as linear elastic elements, plus the energetic contribution Υ_{ic} . The latter is due to the suction effect resisting distraction, which leads to the development of an intracapsular pulling back pressure in response to increases of the articular volume. More in detail, k_r is the stiffness of the elastic hinge, while E, A, and l are the Young modulus, the nominal cross-sectional area and the length at rest of the bands, respectively, with l accounting for the effective length covered by ligaments in real fingers' articulation. The deformed lengths of the lower and upper bands are l_{+}^{\prime} and $l_{-}^{\prime},$ respectively, and can be calculated as

$$l'_{\pm} = l + \left\{ 2R^2 \left[1 - \cos \left(\varphi_1 - \varphi_2 \right) \right] + \Delta \left\{ \Delta - 2R \left[\cos \gamma + \cos \left(\gamma \pm \varphi_1 \mp \varphi_2 \right) \right] \right\} \right\}^{1/2}, \quad [10]$$

where γ is the opening angle of the joint, $\gamma = \arcsin(h/2R)$, *h* being its transverse size. Finally, the energy Υ_{ic} can be expressed as

$$\Upsilon_{ic} = \frac{V_{ic}K_{ic}}{\beta} \left[e^{\beta(J_{ic}-1)} - 1 - \beta(J_{ic}-1) \right], \qquad [11]$$

obtained by assuming the standard exponential law

$$p_{ic} = \frac{\partial \Upsilon_{ic}}{\partial J_{ic}} = K_{ic} \left[e^{\beta (J_{ic} - 1)} - 1 \right], \qquad [12]$$

to describe how the intracapsular pressure p_{ic} varies with the Jacobian of the deformation $J_{ic} = V'_{ic}/V_{ic}$, representing the ratio between the volumes of the articular fluid-filled space in the deformed and undeformed states, approximated as being spatially homogeneous. Here, K_{ic} is the overall bulk modulus of

the synovial fluid and matter inside the intra-articular space, and β is a constitutive parameter ruling the grow rate of the pressure. Moreover, it is possible to consider $V_{ic} = sA_{ic}$ and $V'_{ic} = sA'_{ic}$, where *s* identifies the out-of-plane size of the joint (remaining invariant during the deformation process), while A_{ic} and A'_{ic} are the areas occupied by the projection of the intracapsular domain onto the horizontal anatomical plane at the reference and current configurations of the system, respectively. As sketched in Fig. 3, the reference area can be estimated as $A_{ic} \approx ht$, where *t* is a nominal thickness, while geometrical considerations allow to obtain the following form for the current area A'_{ic} :

$$A'_{ic} = A_{ic} + R\Delta \left[1 + \cos\left(\varphi_1 - \varphi_2\right)\right] \sin\gamma.$$
 [13]

The above equations led to a numerical solution, with the aid of the software Mathematica^{*}. The diagrams reported in Fig. 3 (red curves) show how, due to the cooperation of the elasticity of the ligaments and the suction associated with the intracapsular pressure, the bifurcation tensile load F_{cr}^+ is attained at the end of an initial deformation process connected with the axial distraction of the bone segments and is followed by a significant reduction in the force gradient with respect to the end displacement, when the post-buckling phase evolves. This mechanical behavior demonstrates how, in case of high distracting loads, tensile buckling rules lateral luxation and provides an overall stress shielding by deviating fingers from their natural straight configuration.

Dorsal/volar Luxations Ruled by Compressive Buckling along

the Strong Curvature. Dorsal and volar luxations of fingers are injuries complementary to lateral ones and occur in response to high compressive actions. In this case, the digits dislocate in the sagittal plane of the hand, where articular joints exhibit strong curvatures. From a mechanical point of view, these injuries can again be interpreted as elastic instabilities, which lead the bonejoint-bone system to deviate its configuration at the onset of compressive buckling as shown in the Fig. 3, Right. In more detail, the mechanics of dorsal/volar luxations can be treated by following an approach analogous to that employed for lateral ones. However, in this case, the rotations φ_1 and φ_2 are the sole Lagrangian variables needed for a complete description of the kinematics of the system, as no separation at the joint interface occurs under compression. As a consequence, the total potential energy in Eq. 8 lacks now the energy term Υ_{ic} , and the expressions for the displacement u in Eq. 9 and the lengths of the two elastic ligaments l'_{+} in Eq. **10** simplify by imposing $\Delta = 0$.

Stationarity of Π allows to find the equilibrium bifurcation diagrams shown in Fig. 3 (blue curves) and the critical compressive load can be obtained in closed-form as

$$F_{cr}^{-} = \frac{\sqrt{a_1^2 + 4a_0a_2 - a_1}}{2a_0},$$
 [14]

the coefficients a_0 , a_1 , and a_2 being:

$$a_{0} = l (4R^{2} - L^{2}),$$

$$a_{1} = 2 [k_{r}l (2R + L) + 4EAR^{2}L],$$
 [15]

$$a_{2} = 8EAk_{r}R^{2},$$

with R < L/2 (strong curvature) and $a_1^2 + 4a_0a_2 \ge 0$. It is worth noticing that the critical value in Eq. 14 corresponds to the minimum between two possible bifurcation loads.

Similarly to the lateral luxation (governed by tensile buckling), the mechanical model demonstrates that dorsal/volar dislocations, ruled by compressive elastic instability, provide again stress shielding of the bone-joint-bone finger system in the sagittal plane where digits are deviated, invited by the strong curvature of the articulating bone segments' heads (see bifurcation diagrams in Fig. 3).

An Experimental Proof of Concept Prototype. The proposed luxation mechanism has been validated by an experimental proof of concept model, based on a 3D-printed prototype, incorporating the suction effect due to the articular capsule and a design of the elastic ligaments tailored to replicate the real functioning of the fingers' bone-joint-bone system, as reported in Fig. 4. Laboratory uni-axial tests performed on the builtup prototype have confirmed that both compressive and tensile buckling modes can be reproduced if all the main geometrical and mechanical features characterizing the articulation are taken into account. In particular, under compression, instability-induced deviation of the system's tracts from the straight configuration occurs in the strong curvature plane, as it happens for dorsal and volar dislocations, while bifurcation associated with tension takes place in the weak curvature plane, after an initial phase of axial distraction, similarly to lateral dislocations. These pieces of evidence support the theoretical model and contribute to experimentally highlight the double capability of finger joints to undergo both compressive and tensile buckling, so providing luxation as a stress-shielding strategy.

Discussion and Conclusion

The main conclusion of the present study is that dislocations common injuries of bone articulations as finger joints—can be interpreted through an unprecedented mechanical instability phenomenon that unifies compressive and tensile buckling and leads to recognize luxation as a protection mechanism from more severe damage for bones, exposed to extreme load. This is related to the characteristic double-curvature geometry of the bones' epiphyses at the joints, allowing for a two-mode (lateral and dorsal/volar) fingers' dislocation model, which has theoretically and experimentally demonstrated to be the result of a unique optimized design by nature. The latter ensures stress shielding under axial forces exceeding physiological limits, independently from their sign. In tension, the proposed mechanism provides a hallmark example of tensile critical load involved in functioning of a natural system.

The outcomes of the present research can be used in the design of bio-inspired, mechanically and geometrically optimized joints and structures, which can find a number of applications at different scales, from soft- and micro-robotics to active and passive actuators and exoskeletons in healthcare for rehabilitation purposes.

Materials and Methods

The proof of principle prototype of the fingers' bone-joint-bone system was manufactured through 3D printing and tested under both tensile and compressive forces. A double-curvature joint was designed to replicate (scale 3:1) the two complementary curvatures exhibited by the finger bones' epiphyses in a 3D printed model realized with STRATASYS F170 and STRATASYS Object30 printers, using polymeric materials (ABS - Acrylonitrile Butadiene Styrene) for the bone tracts and a resinous material for the joint elements, Fig. 4. Particular attention was devoted to mimic both the lubrication related to the synovial fluid and the suction effect occurring within the articular capsule. To the purpose, a film of high-pressure resistant grease (NLGI 3 lithium by AREXONS) was interposed between the two contact surfaces of the joined elements and an intact portion of sow intestine was used to encapsulate the joint. Finally, elastic




Fig. 4. *Upper part*: Lateral and frontal views of the fingers' joint anatomy pointing out the two characteristic (strong and weak) curvatures of the articulating bone terminals (*Left*) are compared with the CAD model and 3D-printed prototype of the finger bone-joint-bone system (*Right*). *Central part*: Assembled prototype employed for experimental tests—equipped with an articular capsule obtained from sow intestine, lubricating grease at the joint interface and ligament-like elastic bands—(*Left*) produces the compressive (blue) and tensile (red) force-displacement curves (*Right*). *Lower part*: Sequences of images showing the buckling kinematics exhibited by the system during the compressive (Trames C1–G3) and tensile (frames T1–T3) tests; in particular, frames C1 and T1 correspond to initial (unloaded and undeformed) configurations, frames C2 and T2 show states immediately following the onset of equilibrium bifurcation and frames C3 and T3 provide configurations reached in the post-buckling phase. It is worth noticing that, due to the partial compressibility of the grease layer at the interface, the response in compression does not recover the infinitely rigid behavior theoretically predicted. Also, consistently with the anatomy of the finger joints and the theoretical model, elastic bands were positioned laterally in the sagittal and frontal planes and are shown in the photos deformed under compression or tension.

bands were fixed on the sides of the assembled structure in order to simulate the presence of extracapsular ligaments, as illustrated in Fig. 4. The mechanical response of the prototype was measured by employing a electromechanical biaxial testing machine (ElectroForce TestBench four linear motors Planar Biaxial 230V with integrated 200N load-cells by TA Instruments) used in a uniaxial mode to reproduce both tensile and compressive loading conditions. Specifically, a progressively increasing axial displacement was quasi-statically (at a velocity of 0.05 mm/s) applied to the ends of the structure, both constrained through 3D printed hinges. The reaction forces on the supports were measured via the above-specified 200N load cells.

- 1.
- H. Gray, Anatomy of the Human Body (Philadelphia Lea and Febiger, ed. 20, 1918). M. Brocato, P. Podio-Guidugli, A bone-wise approach for modeling the human hind-midfoot. Part i: 2 Kinematics. Meccanica 57, 977-998 (2022).
- J. Gray, How Animals Move (Cambridge University Press, 1953).
- J. Ralphs, M. Benjamin, The joint capsule: Structure, composition, ageing and disease. J. Anat. 4 184, 503 (1994).
- V. C. Mow, G. A. Ateshian, R. L. Spilker, Biomechanics of diarthrodial joints: A review of twenty years of progress. J. Biomech. Eng. 115, 460–467 (1993). 5
- J. Mech, A. Neville, A. Morina, T. Liskiewicz, Y. Yan, Synovial joint lubrication-does nature teach more effective engineering lubrication strategies? Proc. Inst. Mech. Eng. Part C Eng. Sci. 221, 1223-1230 (2007).
- S. C. Cowin, S. B. Doty, Tissue Mechanics (Springer, 2007).
- Yc. Fung, Biomechanics: Mechanical Properties of Living Tissues (Springer Science & Business Media, 2013).
- W. C. Hung, C. H. Chang, A. T. Hsu, H. T. Lin, The role of negative intra-articular pressure in stabilizing the metacarpophalangeal joint. J. Mech. Med. Biol. 13, 1350049 (2013).
- 10. W. Inokuchi, B. S. Olsen, J. O. Søjbjerg, O. Sneppen, The relation between the position of the glenohumeral joint and the intraarticular pressure: An experimental study. J. Shoulder Elbow Surgery 6, 144-149 (1997).
- 11. G. N. Kawchuk et al., Real-time visualization of joint cavitation. PloS One 10, e0119470 (2015).
- 12. P. Habermeyer, U. Schuller, E. Wiedemann, The intra-articular pressure of the shoulder: An experimental study on the role of the glenoid labrum in stabilizing the joint. Arthrosc.: J. Arthrosc. Related Surgery **8**, 166–172 (1992).
- T. D. Gibb, J. A. Sidles, D. Harryman 2nd, K. J. McQuade, F. Matsen 3rd, The effect of capsular venting on glenohumeral laxity. *Clin. Orthopaed. Related Res.* 268, 120–127 (1991).
- 14. S. Alexander, D. F. Southgate, A. M. Bull, A. L. Wallace, The role of negative intraarticular pressure and the long head of biceps tendon on passive stability of the glenohumeral joint. J. Shoulder Elbow Surg. 22, 94–101 (2013).
- 15. N. Sharma, M. Venkadesan, Finger stability in precision grips. Proc. Natl. Acad. Sci. U.S.A. 119, e2122903119 (2022).

Data, Materials, and Software Availability. All study data are included in the main text.

ACKNOWLEDGMENTS. We acknowledge the financial support from the European Research Council under the European Union's Horizon 2020 research and innovation programme, Grant agreement No. ERC-ADG-2021-101052956-BEYOND. M.F., S.P., A.C., and A.R.C. also acknowledge the support by the Italian Ministry of University and Research, under the complementary actions to the National Recovery and Resilience Plan "Fit4MedRob - Fit for Medical Robotics" Grant (# PNC000007).

- 16. D. Ramponi, M. J. Cerepani, Finger proximal interphalangeal joint dislocation. Adv. Emer. Nursing J. 37, 252-257 (2015).
- 17. R. B. Prucz, J. B. Friedrich, Finger joint injuries. Clin. Sports Med. 34, 99-116 (2015). Sports Hand and Wrist Injuries.
- 18. N. Sundaram, J. Bosley, G. S. Stacy, Conventional radiographic evaluation of athletic injuries to the hand. Radiol. Clin. North Am. 51, 239-255 (2013). Imaging of Athletic Injuries of the Upper Extremity.
- 19. K. E. Elzinga, K. C. Chung, Finger injuries in football and rugby. Hand Clin. 33, 149–160 (2017).
- 20. L. Laver et al., Basketball Sports Medicine and Science (Springer, 2020).
- 21. A. W. Bach, Finger joint injuries in active patients: Pointers for acute and late-phase management. Phys. Sportsmed. 27, 89-104 (1999).
- 22. A. J. Logan, N. Makwana, G. Mason, J. Dias, Acute hand and wrist injuries in experienced rock climbers. British J. Sports Med. 38, 545-548 (2004).
- 23. S. Gnecchi et al., "Hand and finger injuries in rock climbers" (Tech. Rep., Springer, 2015). 24. D. Zaccaria, D. Bigoni, G. Noselli, D. Misseroni, Structures buckling under tensile dead load. Proc. R. Soc. A: Math. Phys. Eng. Sci. 467, 1686-1700 (2011).
- 25. S. P. Timoshenko, J. M. Gere, Theory of Elastic Stability (McGraw-Hill, 1961).
- 26. D. Bigoni, Nonlinear Solid Mechanics Bifurcation Theory and Material Instability (Cambridge University Press, 2012).
- S. Palumbo, L. Deseri, D. R. Owen, M. Fraldi, Disarrangements and instabilities in augmented one-dimensional hyperelasticity. *Proc. R. Soc. A: Math. Phys. Eng. Sci.* 474, 20180312 (2018).
 M. Fraldi, S. Palumbo, A. Cutolo, A. R. Carotenuto, F. Guarracino, On the equilibrium bifurcation of
- axially deformable holonomic systems: Solution of a long-standing enigma. Proc. R. Soc. A: Math. Phys. Eng. Sci. 477, 20210327 (2021).
- C. Siviy et al., Opportunities and challenges in the development of exoskeletons for locomotor assistance. Nat. Biomed. Eng. 7, 456–472 (2022).
- 30. D. Misseroni, G. Noselli, D. Zaccaria, D. Bigoni, The deformation of an elastic rod with a clamp sliding along a smooth and curved profile. Int. J. Solids Struct. 69-70, 491-497 (2015).
- 31. D. Hu, D. Howard, L. Ren, Biomechanical analysis of the human finger extensor mechanism during isometric pressing. PloS One 9, e94533 (2014).
- 32. D. Bigoni, N. Bordignon, A. Piccolroaz, S. Stupkiewicz, Bifurcation of elastic solids with sliding interfaces. Proc. R. Soc. A: Math. Phys. Eng. Sci. 474, 20170681 (2018).