

Carfentanil on the Darknet: potential scam or alarming public health threat?

Negri, A.^{1,2}, Townshend, H.³, McSweeney, T.¹, Angelopoulou, O.⁴, Banayoti, H.⁵,
Prilutskaya, M.⁶, Bowden-Jones, O.⁷, Corazza, O.¹

¹School of Life and Medical Sciences, University of Hertfordshire, Hatfield, United Kingdom

²Postgraduate School of Pharmacology and Clinical Toxicology, University of Milan, Milan, Italy

³School of Law, University of Hertfordshire, Hatfield, United Kingdom

⁴WMG, University of Warwick, Coventry, United Kingdom

⁵Cybersolace, London, United Kingdom

⁶Department of Personalized Medicine and Paediatrics, Semey Medical University, Semey, Kazakhstan

⁷Club Drug Clinic, Central North West London NHS Foundation Trust, London, United Kingdom

Corresponding author:

Dr Ornella Corazza

o.corazza@herts.ac.uk

Abstract

Background: In an age of global insecurity, highly potent synthetic drugs have become a major public health issue. Their online advertisement and sale are facilitated by surface web, darknet markets and social media fuelling substance abuse and addiction, as well as various types of new criminal activities and their growth in sophistication. This study presents a systematic analysis of the darknet sale of one of the most potent synthetic opioids: Carfentanil. With an equianalgesic potency of 10.000 times a unit of morphine, its toxicity is comparable to traditional nerve agents, and it has been previously used as a chemical weapon, causing human fatalities. **Methods:** Digital trace data was collected retrospectively from all the darknet

marketplaces, which have been active in the past five years. Data on vendors offering Carfentanil on Agarthia, Empire and Yakuza marketplaces were analysed with regard to items sold and sellers' features as these were the only active markets at the time of search. Searches were carried out in the English language only. **Results:** 63 Cartfentanil vendors operating on 19 darknet marketplaces were identified. Contacts and payments were facilitated with end-to-end encryption messaging mobile applications and content-expiring messages. Although it is known that Agarthia is a scam market, and no operative sellers were found on Yakuza, several sellers promoting Carfentanil sales were active in the Empire marketplace with a number of transaction ranging from 4 to 1223. **Conclusion:** The availability of highly potent drugs such as Carfentanil on the darknet requires the urgent development of innovative scientific methods and tools able to monitor and predict such new threats, while informing policymaking and protecting the health and the security of citizens.

Keywords:

Carfentanil; Synthetic Opioids; Darknet; Novel Psychoactive Substances; Chemical Weapon

Introduction

Background

Over the last decade, a wide range of newly developed, or previously unknown chemical, pharmaceutical, and herbal drugs, known as New Psychoactive Substances (NPS), have rapidly spread in the illicit drug market posing serious challenges for public health and safety and making this phenomenon even more likely to expand in the nearest future (Schifano et al., 2015; Corazza and Roman-Urrestarazu, 2017). The EU Early Warning System now monitors more than 730 new substances, with over 55 of these identified for the first time in 2018 (EMCCDA-EUROPOL, 2019). By December 2018, 119 countries and territories had reported over 899 NPS to the UNODC 'Global Synthetics Monitoring: Analysis, Reporting and Trends (SMART) Programme', far exceeding the 234 substances currently scheduled under the International Drug Control Conventions (UNODC, 2019). Of particular concern are the New Synthetic Opioids (NSO), a heterogeneous class of highly potent opioids and other compounds with opioid-like effects, which are currently fueling one of the major drug related crisis in human history in North America and other countries, mainly due to the over-prescription of opioid analgesics (National Institute on Drug Abuse 2019; UNODC 2019; Hadland & Beletsky, 2018).

NSO include fentanyl analogues and other structurally distinct non-fentanyl compounds, such as the benzamide opioids AH-7921, U-47700, U-77891, U-50488, bromadolone and piperazine opioids, such as MT-45, and W-18, which pose significant life-threatening risks including overdose, respiratory arrest, risk of infectious diseases (HIV, or Hepatitis C), severe dependence and death (UNODC 2019). The majority of such substances have been developed as 'research chemicals' and have not been approved for human use due to their potency, while some have been employed in human anesthesia or in veterinary medicine for the sedation of large size animals. NSO are stronger than classical opioids and more dangerous, as acute toxicity manifests itself at the tens of microgram level and their potency exceeds by several orders of magnitude that of classical opioids (e.g. Carfentanil is 10,000 times as potent as a unit of morphine).

Some NSO have been evaluated for pharmacokinetic parameters, including potency, binding affinity to mu-, delta-, and kappa-opioid receptors, or receptor efficacy: they are used in both

human and veterinary clinical settings, as they present greater analgesic potency and may cause fewer side effects than morphine in terms of cardiovascular and respiratory functions when administered under medical supervision. However, their facile syntheses and low prices have led to development of over 1,400 other fentanyl analogues (Armenian et al., 2017; Misailidi et al., 2018). Originally designed to mimic fentanyl's opioid effects, these are by far the most dangerous NSO, many of which have never been studied in humans. It has also been argued that the toxicity of some of the fentanyl analogues, such as Carfentanil, is so high that they are comparable to traditional nerve agents and could be used as chemical weapons (Kinezt and Butler 2016). Forms of fentanyl were employed in an unsuccessful 1997 attempt by Mossad agents to kill a Hamas leader in Jordan by spraying the compounds in his ear (Kinezt and Butler 2016), and traces of a mixture of Carfentanil and Remifentanil were found in the clothing and the urine of two survivors following the Russian Special Forces' chemical attack against Chechen separatists in the Dubrovka theatre in 2002, which caused 125 fatalities (Riches et al 2012).

NSOs, such as Carfentanil and the longer-acting Lofentanil (3-methyl-Carfentanil) or Ohmefentanyl (β -hydroxy-3-methylfentanyl), have relatively low production costs and their potency makes them highly lucrative, as small quantities which are easier to transport, may represent thousands of individual and potentially fatal doses. Risks increase if suppliers use NSOs to replace or supplement traditional opiates (ACMD, 2020).

Carfentanil pharmacology and toxicological profile

Synthesized in 1974 as a typical opioid agonist, Carfentanil (4-[{1-oxopropyl}-phenyl-amino]-1-[2-phenylethyl]-4-piperidinecarboxylic acid methyl ester), was approved in 1986 as a tranquilizer for large animals in veterinary settings at doses ranging from 5 to 20 $\mu\text{g/kg}$ (George et al., 2010). Due to its potency and pharmacological features, it is not approved for human use, except for experimental research aimed to map opioid receptors with Positron Emission Tomography (PET) (Frost et al., 1989). During its development and use, research evidenced some unique properties: for instance, it can be produced in odorless powder (as a free base) and liquid forms (as a salt), enabling the creation of organoleptically untraceable mixtures with a vast number of drugs and adulterants (Elliot et al., 2018). This, among other features, may account for its stable presence in the list of pseudo-legal "research chemicals" produced and distributed by a myriad of mainly Asian based clandestine laboratories to the

markets of USA, Canada, Europe, Australia. Routes of administration range from oral, nasal insufflation, intravenous, intramuscular, transmucosal and transdermal through skin absorption (Prekupec et al., 2017). Carfentanil's pharmacological features are not completely disclosed, as the majority of information derives from animal or *in vitro* research or from anecdotal case reports of severe intoxication. It has been reported that it requires approximately 5.7 hours to decrease to half of its starting dose in the body (half-life) and 11.8 hours for its metabolite norcanfentanil (Uddayasankar et al., 2018). Furthermore, due to its high lipophilicity and high protein binding, Carfentanil shows a large distribution volume, which may account for the phenomena of "re-narcotization" (e.g. the recurrence of toxicity after stabilization) (Leen & Juurlink, 2019).

Current PET studies show that Carfentanil is about 10,000 times more potent than morphine, 4,000 times more than heroin, twice as potent as sufentanil and 20 times more potent than fentanyl (Shafer, 2019). This information contrasts with what is frequently stated as Carfentanil being 100-fold more potent than fentanyl (Pubchem, 2019). Nevertheless, studies report that its equilibrium dissociation constant (K_i) for opioid receptors (μ , κ , δ) are significantly lower than those for fentanyl (Leen & Juurlink, 2019), meaning that Carfentanil shows a higher affinity for such receptors. At post-mortem, typical levels of morphine in blood associated with fatalities are in excess of 50 ng/ml, for fentanyl greater than 3 ng/ml and for Carfentanil greater than 0.1 ng/ml (ACMD, 2020). Thus, a lethal dose of the substance ranges around 50 μ g, meaning that one kg might have the potential to cause up to 20 million associated fatal intoxications.

The expert board within the framework of the European Monitoring Centre for Drugs and Drug Addiction (EMCDDA) risk assessment procedures underlines the dangers caused by unintentional exposure to Carfentanil during its manufacturing and delivering. Despite the fact that Carfentanil toxicity is related to opioid toxidrome with rapid sedation, dizziness and severe respiratory depression, an accurate risk profile is not yet understood by clinicians. The majority of Carfentanil related deaths are associated with pulmonary oedema, congestion, aspiration of gastric contents (Solimini et al., 2018), cardiac and liver abnormalities. Nevertheless, a precise assessment of Carfentanil induced toxicity is lacking in clinical practice, principally due to possible combinations of poisoning substances and to limited capacities of laboratory identification. The long-term effects as well as the abuse and the addiction potentials of Carfentanil have also been poorly studied on the basis of speculative projections on its toxicodynamic properties. Its dose-effects are only described on animal models and barely

estimated for antidotal implications. Current standard treatments for Carfentanil's intoxications are similar to those for any opioid substances, ranging from oxygenic therapy, non-specific physiological support and antidote (Naloxone) administration (Irvine et al., 2018; Fairbairn et al., 2017).

Carfentanil's high level of toxicity in humans is further demonstrated by hundreds of fatal episodes across the US, Europe and the UK. Since its detection in Latvia in 2013, the substance was associated to 61 fatalities in 8 countries in the EU with 50% of them involving mixtures with other opioid such as heroin (EMCDDA, 2019; Elliott et al., 2018). In the UK, estimates provided by the National Programme on Substance Abuse Deaths (NPSAD) on fatalities related to fentanyl derivatives included Carfentanil as the most common substance in 55 cases although often in combination with other opioids and drugs of misuse, which further enhance the risk of death (ACMD, 2020). Considering that testing for NSO is not always required in presence of opioid overdoses, such evidence might be an underestimation of the overall phenomenon. In fact, a retrospective toxicological analysis in 2017 on 97 samples of urine and blood from heroin users revealed the presence of Carfentanil in 25 of these, alone or in combination with other derivatives such as butyrylfentanyl (Hikin et al., 2018). Overall, the expansion in the illicit drug market of these highly potent opioids, such as Carfentanil, has been seen as an iatrogenic effect of the "iron law of prohibition", which has focused over the years on suppression of access to drugs, leaving marginal attention to prevention and harm reduction activities (Beletsky & Davis, 2017; Martin, Cunliffe, Décary-Hétu, & Aldridge, 2018).

Darknet availability of Carfentanil

Darknet marketplaces and encryption techniques have been identified as important enablers of the illicit drug supply chain in contemporary societies, with the 2019 European Drug Report citing this as a major law enforcement challenge (EMCCDA 2019). With respect to NSOs' potential use as chemical weapons, Shafer (2019) commented that "on a per kilogram basis, Carfentanil is arguably 2000 times deadlier than a thermonuclear bomb". This appears particularly perturbing in today's ever-increasing digitalised drug markets. Both the surface web and darknet markets are used for online drug sales, as are social media and mobile communication apps to advertise and facilitate the delivery of NPS to consumers. Since the first anonymous online drug market Silk Road was revealed in 2011 (Barrett, 2012), encrypted and anonymised transactions in cryptocurrency, hosted by the Tor anonymous browser, have reduced the need for more complex and easily detectable infrastructures traditionally needed

for drug trafficking across borders (Demant et al., 2019; EMCDDA-EUROPOL, 2019; Griffiths et al., 2010; Martin). This has created an immense opportunity for Organised Crime Groups (OCG) to create more sophisticated business models, which generate new challenges for law enforcement and public health.

It has been estimated that since the shutdown of Silk Road in 2013, transaction via cryptomarkets have tripled, and revenues have doubled in less than three years (Kruithof et al., 2016). It has been estimated that four of the major darknet markets at the time (Dream Market, Berlusconi Market, Valhalla and TradeRoute) generated revenues of EUR 800,000 per day on average between July 2017 and August 2018 (EMCDDA-EUROPOL, 2019). And these markets continues to be dynamic and evolving. New chemicals, pharmaceutical, and herbal drugs continually appear with various large and smaller secondary markets rising and disappearing due to law enforcements, voluntary closure or exit scams. Although a variety of darknet marketplaces have agreed not to sell potentially dangerous psychoactive substances or prescription drugs in response to the opioid crisis (IDPC, 2018), we decided to carry out an investigation on the availability of Carfentanil on the darknet, while (i) identifying products availability; (ii) profiling vendors and their activity as this could be an alarming threat for the health and security of citizens. As far as we know, this is the first study of this kind.

Methods

Digital trace data was collected from prominent darknet marketplaces, using a proprietary threat intelligence platform provided by CyberSolace, a private sector company specialising in information security advisory services. The platform is primarily used for threat intelligence and provides monitoring of the darknet and deepweb by performing specific searches for different marketplaces, vendors and items. The ‘search spiders’, developed using Python scripts, allow a rapid scanning of the darknet as well as a retrospective analysis of marketplaces which no longer exist due to law enforcement operations or exit scams. This is an advantage compared to Tor or other traditional browsers which are unable to detect activities of markets that are no longer available. Automated searches on the platform were carried out in July-August 2020 and included activities over the past five years (1st September 2015 – 1st September 2020). The keyword used was “Carfentanil” or “Carfentanyl”. Results were manually filtered and validated through searches on darknet dedicated online sources, which verified the activity and the reliability of marketplaces. Active marketplaces were further investigated using the Tor browser in order to detect potential scams. When availability, data

on vendors' level/trust, date of account creation, last login, number of completed transactions, items sold, encryption type and origin were collected, to contribute in identifying scam and 'legitimate' accounts. Searches were carried out in the English language.

The study was approved by the Human Sciences Ethics Committee at the University of Hertfordshire (HSK/SF/UH/00104).

Results

Markets, products, availability and restrictions

Overall 181 listings for Carfentanil were identified. These were sold by 72 vendors across 19 different marketplaces. These were Agarth, DreamAlt, Yakuza, Abraxas, Acropolis, Agora, Alphabay, Berlusconi, Crypto, Darkbay, Dream, Evolution, Silk Road, Silkkitten (Finnish version of Silk Road), Tchka, Tochka, Valhalla, Europa and Empire market. Among these, only 3 (Agarth, Yakuza and Empire) were listed as active, while all the others were inoperative at the time of the search. Some vendors were active in more than one market and duplicates were manually removed. Thus, a total of 63 different vendors was considered for further analysis. The overall number of listings and vendors for each marketplace has been summarised in Table 1.

Table 1: Marketplaces identified by automatized darknet search

Marketplace	No. of listings	No. of Vendors	Last posted on	Active/Defunct	Notes
Agarth	21	9	26/01/2020	Active	
DreamAlt	19	1	29/10/2019	Defunct	*not accessible on 04/08/2020
Yakuza	7	5	20/07/2020	Active	
Abraxas	5	1	14/10/2015	Defunct	
Acropolis	10	1	10/10/2016	Defunct	
Agora	2	1	26/11/2017	Defunct	
Alphabay	1	1	13/06/2017	Defunct	
Berlusconi	40	13	29/05/2019	Defunct	
Crypto	3	1	07/01/2016	Defunct	
Darkbay	1	1	19/09/2019	Defunct	

Dream	1	1	21/12/2017	Defunct	
Evolution	7	1	03/01/2015	Defunct	
Silkkitten	11	2	14/02/2019	Defunct	
Silk Road	1	1	25/09/2019	Defunct	
Tchka	12	10	20/10/2018	Defunct	
Tochka	15	10	26/11/2019	Defunct	
Valhalla	8	2	07/09/2018	Defunct	
Europa	3	2	27/03/2020	Defunct	
Empire market	14	9	N/A	Active	

Although some of the studied marketplaces declared a ban on dangerous products or drugs (e.g. fentanyl and its derivatives, MDPV, crack cocaine, heroin, scopolamine), it was clear that this internal regulation lacked consistency and that vendors were able to promote highly toxic substances, such as Carfentanil, without any restrictions.

Among the identified markets, the legitimacy and reliability of both Agarthia and Yakuza were questionable.

According to Darknetstats.com, a source providing darknet platforms lists and reliability, Agarthia is mainly (90%) a market offering scraped or fake listings and selectively scamming users and advises users not to use it as only some small-time vendors are reliable (Darknetstats.com, 2020). Little information was found on the Yakuza market, which appears to be relatively recent. Many sellers are inactive or with no recent transactions on their profiles. On the other hand, Empire is one of the largest marketplaces currently available on the darknet with more than 50.000 listings and weekly revenues of approximately 6,5 million USD (Darknetstats.com, 2020). Although some of the identified Carfentanil vendors were inactive, or had a low ‘trust’ levels on the site, others were operative at the time of search with a total number of transaction ranging from 4 to a maximum of 1223. Although the sales were on multiple items, and not Carfentanil’s, this confirms that sellers were active at the time of the search. Some of the vendors also appeared to have well-established stores, suggesting they may offer a variety of other products.

Vendors

Overall 22 vendors selling Carfentanil were reported in the Yakuza (5), Agarthia (9) and Empire (9), which were the only marketplaces listed as active at the time of the search. Further details on their activities are reported in Tables 2, 3 and 4.

Table 2: Yakuza vendors

Seller	mytrade15	michaeldean	lifecrystal1	dcthug	Anonymsorter
No. of items	1	11	0	0	0
Spelling	carfentanil	carfentanil/ carfentanyl	-	-	-
Seller's Score	0	0	0	0	0
Username	mytrade15	michaeldean	lifecrystal1	dcthug	Anonymsorter
Account Created	06/12/2020	07/17/2020	06/23/2020	05/24/2020	06/10/2020
Last Login as midday 27/07/2020	7 hours ago	1 hour ago	2 weeks ago	2 weeks ago	3 days ago
Completed Transactions	0	0	0	1	0
PGP key	non-present	present	present	present	present
Items	prescription drugs, prepaid cards	drugs – prescription drugs, counterfeit money	no items	no items	no items
Ships From	United States	Anonymous	Anonymous	Anonymous	Anonymous
Other info		‘We have been Trusted, Reliable and verified Vendor On Former Dream Market, Empire Market, Dream Alt Market, Agarthia Market, Samsara Market and Nightmare Marketplace’ VENDOR BANNED 04/08/2020 Last product posted 28/07/2020 Last activity: 31/07/2020			

Table 3: Empire vendors

Seller	johnjackmeths	Naturalremedy	Honeymoonia	chlnsaint	TheLittleGuys	JORDA N15	deaddrops	mackleslie	Missfentanyl
Score	0%	0%	100%	98.69%	97.64%	0%	85.71%	100%	100%
Vendor Level	1	1	1	7	5	1	1	1	2

Trust Level	1	1	1	7	5	1	1	1	1
Account Created	02/08/2020	10/06/2020	01/06/2020	25/08/2019	13/03/2019	18/07/2019	22/04/2019	17/05/2020	25/04/2020
Last Login as 05/08/2020	Today	04/08/2020	Today	Today	30/06/2020 (VACATION)	16/08/2019	Nov 26, 2019 (VACATION)	Today	Today
Sales	0	0	22	1223	495	0	27	4	32
PGP key	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Table 4: Agarth vendors

Seller	Asheleywilliams	GehLegit	biomed	baileythom	DrHeizen	cokydok	VeronKushman	jakeflakes	Supplylord
Score	99.153	98.1	99.552	99.238	91.1	97.108	100	90.333	80.571
Level	5	9	5	7	3	9	7	4	3
Account Created	10 months ago	10 months ago	15 months ago	13 months ago	12 months ago	13 months ago	7 months ago	11 months ago	8 months ago
Last Login as 05/08/2020	3 days ago	Today	Today	2 days ago	Today	2 days ago	today	Today	Today
PGP key	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes
Ships From		United Kingdom	United States	United States	Netherlands	United States	United States	Sweden	United States

The vast majority of vendors offered Pretty Good Privacy (PGP) ensuring encrypted communication with their clients. Although some of the vendors showed a high score and level of trust reported by users (which may be easy to manipulate), no information was available on their number of transactions completed.

Vendors' contact details were commonly found in the description section of products. Contact methods included phone numbers, WICKR (an instant messaging app which allows the highest level of encryption, user privacy and verification) usernames and addresses, email addresses, social media handles and telegram; wallet/payment options were often available to facilitate the payment for these products using crypto currency, such as bitcoin and paysafe cards. Overall, WICKR was one of the most frequent handles utilised throughout all darknet platforms assessed: this is due to the high-level end-to-end encryption and to content-expiring messages,

which allows greater privacy and lower traceability, thus allowing a safer trade of illicit goods. This highlights the importance and prevalence of private end-to-end encrypted messaging apps in the sale of Carfentanil online. It is also important to explore the validity of the contact methods provided, as vendors often provide stolen personal data as their own and utilise burner applications for communication.

Discussion and conclusion

Although the availability of NPS on the darknet has been increasingly reported (Broadhurst et al 2020; EMCDDA-EUROPOL 2019; UNODC 2019; Kruithof et al., 2016), to the best of our knowledge this is the first study with a focus on Carfentanil. Although some of these marketplaces are not available at the present day, and some might be considered scams, the availability of such a dangerous drug among the sale lists of 63 vendors across 19 darknet marketplaces raises a number of unprecedented health and safety concerns in terms of both hazardous voluntary consumptions and potential use to harm others. Although these listings may be fake, or selling counterfeit products rather than the advertised Carfentanil, this opens a wide range of concerns in terms of darknet markets' regulations, which remains a grey and largely unexplored area. This was confirmed by the recent appearance on darknet marketplaces of fake COVID-19 vaccines and related products, even earlier than its official release and regulatory approval (Mehrotra 2020). As Interpol recently stated, this year has seen a general unprecedented rise in counterfeit medical products, frauds and cybercrime (Interpol 2020). In fact, Carfentanil is often advertised as part of a much wider repertoire of products, including other drugs, weapons, protected wildlife and human organs being sold by the same vendors. This confirms how the drug market is one of the major sources of income for organised crime and how it is linked to other areas of criminality and terrorism. The flexibility in adding new activities and/or products to crime portfolios also indicates that a new criminal business might become 'active' on demand only once a new profit opportunity emerges, despite vendors lacking specific expertise or experience in the handling, distribution or sale of these products. Although most of the marketplaces claimed to ban the advertising of highly potent drugs, the popularity of Carfentanil on such platforms can expose even experienced users to serious life threats, making accurate dosing very difficult. Unintentional dosing, when the user consumes the drug to which Carfentanil has been added e.g. via contaminated products, makes such health threats even more worrying. This suggests that urgent action is required not only to

influence the market's internal regulations, but also to promote harm reduction and provide more precise information to potential users and professionals working with them.

In our contemporary globalised and technologically enabled society, the constant evolution and volatile nature of illicit drug markets allow vendors to rapidly counter law enforcement efforts, whilst avoiding and/or exploiting existing regulations and drug control measures. This therefore may facilitate the future growth of smaller, fragmented operations run by single vendors, or to the development of non-English language 'niche' markets (EMCDDA-INTERPOL, 2019). While much emphasis has been given on the clinical implications posed by fentanyl and its derivatives, little attention has been paid to their potential use as chemical weapons able to harm large populations or individuals. Furthermore, the exploitation of the postal system for the delivery of postal packages and parcels containing illicit products also deserves further careful consideration. In the case of Carfentanil, the risks of inadvertent contamination with this highly toxic drug of postal and border force staff, who may examine suspicious parcels, remain high, especially in absence of guidance and regulations. These considerations justify the importance of continued collaboration with law enforcement agencies and investment into novel scientific methods for the monitoring of the darknet in order to promptly identify future threats and safeguard the health and the security of citizens. Considering the aleatory features of darknet, crucial for us was the use of a tool able to extract data retrospectively even during the current downtime of the marketplaces, which, as far as we know, is unprecedented. As an aid to forensic investigations, future efforts should be made to correlate such evidence on market activities with corresponding cryptocurrency transactions to map the web of transactions.

Acknowledgement

We would like to thank all the colleagues, who have provided inputs at different stages of this study and ensured the quality of our analysis.

References

Advisory Council on the Misuse of Drugs (ACMD). (2020). Misuse of Fentanyl and Fentanyl analogues. Available at https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data

/file/855893/ACMD_Report_-_Misuse_of_fentanyl_and_fentanyl_analogues.pdf. Accessed 19th February 2020.

Armenian, P., Vo, K.T., Barr-Walker, J., Lynch, K.L. (2018), Fentanyl, fentanyl analogs and novel synthetic opioids: A comprehensive review. *Neuropharmacology*. 15; 134: 121-132

Assi, S., Fergus, S., Stair, J., Corazza, O., & Schifano, F. (2011). Emergence and identification of new products of designer drug products from the Internet. *European Pharmaceutical Review*. 6, 78-62

Barrat, M. (2012). Silk Road: Ebay for drugs. *Addiction*. 107(3), 683

Beletsky, L., & Davis, C. S. (2017). Today's fentanyl crisis: Prohibition's Iron Law, revisited. *International Journal of Drug Policy*, 46, 156-159. <https://doi.org/10.1016/J.DRUGPO.2017.05.050>

Mehrotra K. (2020). Darkweb has become a Marketplace for "Vaccines" and other pandemic scams. Available at <https://www.bloomberg.com/news/articles/2020-11-11/dark-web-has-become-a-marketplace-for-vaccines-and-other-pandemic-scams>

Broadhurst, R., Ball, M., Trivedi, H. (2020) Fentanyl availability on darknet markets, *Trends and Issues in crime and criminal justice*, No. 590 February 2020 ISSN 1836-2206 (Online) | ISBN 978 1 925304 24 4 (Online).

Corazza, O., Assi, S., Simonato P, Corkery J, Bersani FS, Demetrovics Z, Stair J, Fergus S, Pezzolesi C, Pasinetti M, Deluca P, Drummond C, Davey Z, Blaszkowski U, Moskaliewicz J, Mervo B, Furia LD, Farre M, Flesland L, Pisarska A, Shapiro H, Siemann H, Skutle A, Sferrazza E, Torrens M, Sambola F, van der Kreeft P, Scherbaum N, Schifano (2013). Promoting Innovation and excellence to face the rapid diffusion of Novel Psychoactive Substances in the EU: the outcomes of the ReDNet project. *Human Psychopharmacology: Clinical and Experimental. Special issue*, Jul, 28(4): 317-23. doi: 10.1002/hup.2299.

Corazza, O., Roman-Urrestarazu, A. (2017) *Novel Psychoactive Substances: Policy, Economics and Drug Regulations*. Berlin: Springer.

Council of the European Union (2017), EU action plan on drugs 2017-2020, CORDROGUE 77, doc. 9960/17 (https://www.consilium.europa.eu/register/en/content/out?&typ=ENTRY&i=ADV&DOC_ID=ST-9960-2017-INIT).

Darknetstats.com. Available at <https://www.darknetstats.com/agartha-market/> and <https://www.darknetstats.com/empire-market/>. Accessed Aug 5, 2020.

Demant, J., Bakken, S. A., Oksanen, A., Gunnlaugsson, H. (2019). Drug dealing on Facebook, Snapchat and Instagram: A qualitative analysis of novel drug markets in the Nordic countries. *Drug and Alcohol Review*, 38(4), 377–385.
<https://doi.org/10.1111/dar.12932>

Elliott, S.P., Hernandez Lopez, E. (2018). A Series of Deaths Involving Carfentanil in the UK and Associated Post-mortem Blood Concentrations. *J Anal Toxicol*. 42(4):e41–e45.
[doi:10.1093/jat/bkx109](https://doi.org/10.1093/jat/bkx109)

European Monitoring Centre for Drugs and Drug Addiction. (2019). EU Drug Markets Report 2019. <https://doi.org/10.2810/53181>

Fairbairn, N., Coffin, P. O., Walley, A. Y. (2017). Naloxone for heroin, prescription opioid, and illicitly made fentanyl overdoses: Challenges and innovations responding to a dynamic epidemic. *International Journal of Drug Policy*, Vol. 46, pp. 172–179.
<https://doi.org/10.1016/j.drugpo.2017.06.005>

Frost, J.J., Douglass, K.H., Mayberg, H.S., Dannals, R.F., Links, J.M., Wilson, A.A., Ravert, H.T., Crozier, W.C., Wagner, H.N. (1989). Multicompartmental analysis of [¹¹C]-Carfentanil binding to opiate receptors in humans measured by positron emission tomography. *J Cereb Blood Flow Metab*. 9: 398-409.

George, A.V., Lu, J.J., Pisano, M.V., Metz, J., Erickson, T.B. (2010). Carfentanil—an ultra potent opioid. *Am. J. Emerg. Med*. 28, 530–532.

Griffiths, P., Sedefov, R., Gallegos, A. N. A., Lopez, D. (2010). How globalization and market innovation challenge how we think about and respond to drug use: ‘Spice’ a case study. *Addiction*, 105, 951-953.

Hikin, L., Smith, P. R., Ringland, E., Hudson, S., & Morley, S. R. (2018). Multiple fatalities in the North of England associated with synthetic fentanyl analogue exposure: Detection and quantitation a case series from early 2017. *Forensic Science International*, 282, 179–183.
<https://doi.org/10.1016/j.forsciint.2017.11.036>

Home Office (2018) *Serious and organised crime: Home Office research priorities 2018/19 – 2020/21*. Home Office Research Report 105. London: Home Office.

International Drug Policy Consortium (IDPC). (2018). Available at <https://idpc.net/alerts/2018/12/dark-web-dealers-voluntarily-ban-deadly-fentanyl>. Accessed August 5, 2020.

Interpol. (2020). COVID-19. Available at <https://www.interpol.int/How-we-work/COVID-19>

Irvine, M. A., Buxton, J. A., Otterstatter, M., Balshaw, R., Gustafson, R., Tyndall, M., ... Coombs, D. (2018). Distribution of take-home opioid antagonist kits during a synthetic opioid epidemic in British Columbia, Canada: a modelling study. *The Lancet Public Health*, 3(5), e218–e225. [https://doi.org/10.1016/S2468-2667\(18\)30044-6](https://doi.org/10.1016/S2468-2667(18)30044-6)

Kinetz E., Butler D. (2016). "Chemical weapon for sale: China's unregulated narcotic". *AP News*. New York, USA. The Associated Press. Accessed 19th February 2020.

King, L.A., Kicman, A.T. (2011). A brief history of ‘new psychoactive substances’. *Drug Testing and Analysis*, 3, 401-403.

Kruithof, K., Aldridge, J., Héту, D., Sim, M., Dujso, E., Hoorens, S. (2016). The role of the “dark web” in the trade of illicit drugs. In *The role of the “dark web” in the trade of illicit drugs*. <https://doi.org/10.7249/rb9925>

Leen, J. L. S., & Juurlink, D. N. (2019). Carfentanil: a narrative review of its pharmacology and public health concerns. *Canadian Journal of Anesthesia*. 66. 414–421.

<https://doi.org/10.1007/s12630-019-01294-y>

Misailidi, N., Papoutsis, I., Nikolaou, P., Dona, A., Spiliopoulou, C., & Athanaselis, S. (2018). Fentanyl continues to replace heroin in the drug arena: the cases of ocfentanil and carfentanil. *Forensic Toxicology*, 36, 12–32. <https://doi.org/10.1007/s11419-017-0379-4>

Moeller K. (2013). Illicit drug use initiation in the Nordic countries. *Int J Criminol Sociol*. 2:79–86.

National Audit Office (NAO) (2019) *Tackling serious and organised crime*. London: NAO.

National Institute on Drug Abuse (NIDA) 2019. *Fentanyl*.

<https://www.drugabuse.gov/publications/drugfacts/fentanyl>

Prekupec, M.P., Mansky, P.A., Baumann, M.H. (2017). Misuse of novel synthetic opioids: a deadly new trend. *J Addict Med*. 11: 256-65.

Pubchem 2020. Available at <https://pubchem.ncbi.nlm.nih.gov/compound/Carfentanil>.

Accessed 19th February 2020.

Riches J. R., Read R. W., Black R. M., Cooper N. J., Timperley C. M. (2012). Analysis of clothing and urine from Moscow theatre siege casualties reveals carfentanil and remifentanil use. *J Anal Toxicol*. 36 647–656

Schifano, F., Orsolini, L., Duccio Papanti, G., Corkery, J.M. (2015). Novel psychoactive substances of interest for psychiatry. *World Psychiatry*, 14, 15-26.

Shafer, S.L. (2019). Carfentanil: a weapon of mass destruction. *Can J Anesth/J Can Anesth* 66, 351–355

Solimini, R., Pichini, S., Pacifici, R., Busardò, F. P., Giorgetti, R. (2018).

Pharmacotoxicology of non-fentanyl derived new synthetic opioids. *Frontiers in Pharmacology*. Vol. 9. <https://doi.org/10.3389/fphar.2018.00654>

theonionweb.com. Accessed August 5, 2020

Uddayasankar, U., Lee, C., Oleschuk, C., Eschun, G., Ariano, R.E. (2018). The pharmacokinetics and pharmacodynamics of Carfentanil after recreational exposure: a case report. *Pharmacotherapy*. 38: e41-5

United Nation Office on Drugs and Crime (2015) Special Segment, Legal responses to NPS: multiple approaches to a multi-faceted problem, Global Smart Update, Vol 14, Sept 2015.

United Nations Office on Drugs and Crime (2019). Current NPS Threats. I (December 2018), 1–4.

United Nations Office on Drugs and Crime (2019) Understanding the Opioid Crisis. SMART update. Vol 21. United Nations Office on Drugs and Crime - https://www.unodc.org/documents/scientific/Global_SMART_21_web_new.pdf