



UNIVERSITY
OF TRENTO

DEPARTMENT OF INFORMATION AND COMMUNICATION TECHNOLOGY

38050 Povo – Trento (Italy), Via Sommarive 14
<http://www.dit.unitn.it>

ON THE DIFFERENCE BETWEEN BRIDGE RULES
AND LIFTING AXIOMS

Paolo Bouquet and Luciano Serafini

January 2003

Technical Report # DIT-03-004

On the difference between bridge rules and lifting axioms

P. Bouquet^{1,2} and L. Serafini²

¹Department of Information and Communication Technologies – University of Trento
Via Inama, 5 – 38100 Trento (Italy)

²ITC-IRST – Istituto per la Ricerca Scientifica e Tecnologica
Via Sommarive – 38050 Trento (Italy)

bouquet@cs.unitn.it serafini@itc.it

Abstract. In [3], we proposed a first formal and conceptual comparison between the two important formalizations of context in AI: *Propositional Logic of Context* (PLC) [4] and *Local Models Semantics/MultiContext Systems* (LMS/MCS) [9, 7]. The result was that LMS/MCS is at least as general as PLC, as it can be embedded into a particular class of MCS, called MPLC. In this paper we go beyond that result, and prove that, under some important restrictions (including the hypothesis that each context has finite and homogeneous propositional languages), MCS can be embedded in PLC with generic axioms. To prove this theorem, we prove that MCS cannot be embedded in PLC using only lifting axioms to encode bridge rules. This is an important result for a general theory of context and contextual reasoning, as it proves that lifting axioms and entering context are not enough to capture all forms of contextual reasoning that can be captured via bridge rules in LMS/MCS.

1 Introduction

This paper continues the investigation on formal theories of context we started in [3]. In that paper, we compared two well-known formalizations of context, namely the *Propositional Logic of Context* (PLC) [5] and *Local Models Semantics* (LMS) [7], axiomatized via Multi Context Systems [9, 8] (MCS)¹. The main technical result was that LMS/MCS is at least as general as PLC, as it can be embedded into a particular class of MCS, called MPLC.

In this paper we go beyond that result, and analyze the claim that LMS/MCS is strictly more general than PLC. The main technical results are the following: (i) that, under some important restrictions (including the hypothesis that each context has finite and homogeneous propositional languages), LMS/MCS can be embedded in PLC with generic axioms; and that LMS/MCS cannot be embedded in PLC using only lifting axioms to encode bridge rules. These results are important for a general theory of context and contextual reasoning in two senses: first, the restrictions needed to prove the first theorem have a significant impact on the fulfillment of the intuitive desiderata that were

¹ Hereafter, we will refer to the general framework of LMS together with its axiomatization via MCS as LMS/MCS.

brought forward to motivate the formalization of context in AI (e.g., in [11]); second, they prove that lifting axioms and entering context are not enough to capture all forms of contextual reasoning that can be captured via bridge rules in LMS/MCS.

2 The two systems: PLC and LMS/MCS

In this section we quickly revise the two formalisms, and prepare the ground for the technical comparison between the two systems².

2.1 Propositional Logic of Context

In this paper, we use the version of PLC presented in [4]. Given a set \mathbb{K} of labels, intuitively denoting contexts, the language of PLC is a multi modal language on a set of atomic propositions \mathbb{P} with the modality $ist(\kappa, \phi)$ for each context (label) $\kappa \in \mathbb{K}$. More formally, the set of well formed formulae \mathbb{W} of PLC, based on \mathbb{P} , are

$$\mathbb{W} := \mathbb{P} \cup (\neg\mathbb{P}) \cup (\mathbb{P} \supset \mathbb{P}) \cup ist(\mathbb{K}, \mathbb{P})$$

The other propositional connectives are defined as usual. If κ is a context, then the formula $ist(\kappa, \phi)$ can be read as: ϕ is true in the context κ . PLC allows to describe how a context is viewed from another context. For this PLC introduces sequences of contexts (labels). Let \mathbb{K}^* denote the set of finite contexts sequences and let $\bar{\kappa} = \kappa_1 \dots \kappa_n$ denote any (possible empty) element of \mathbb{K}^* . The sequence of contexts $\kappa_1 \kappa_2$ represents how context κ_2 is viewed from context κ_1 . Therefore, the intuitive meaning of the formula $ist(\kappa_2, \phi)$ in the context κ_1 is that ϕ holds in the context κ_2 , from the point of view of κ_1 . Similar interpretation can be given to formulae in sequences of contexts longer than 1. A model for PLC associates a set of partial truth assignments to each context sequence and satisfiability is defined with respect to a context sequence.

Definition 1. A model \mathfrak{M} of PLC is a partial function which maps each context sequence $\bar{\kappa} \in \mathbb{K}^*$ into a set of partial truth assignments for \mathbb{P} .

$$\mathfrak{M} \in (\mathbb{K}^* \rightarrow_p \mathbf{P}(\mathbb{P} \rightarrow_p \{\text{true}, \text{false}\}))$$

where $A \rightarrow_p B$ denotes the set of partial functions from A to B and $\mathbf{P}(A)$ denotes the powerset of A .

The original intuition was that, partial truth assignments allow us to represent the fact that in different context sequences there are different sets of meaningful formulae. Indeed, a model \mathfrak{M} defines a vocabulary, denoted by $\text{Vocab}(\mathfrak{M})$, namely, a function that associates to each context sequence a set of meaningful formulae. Formally, a *vocabulary* is a relation $\text{Vocab} \subseteq \mathbb{K}^* \times \mathbb{P}$ that associates a subset of primitive propositions with each context. $\text{Vocab}(\mathfrak{M})$, i.e, the vocabulary defined by the model \mathfrak{M} , is the function that associates to each context sequence $\bar{\kappa}$ a subset of \mathbb{P} for which all the assignments in

² An exhaustive presentation of the two formalisms is beyond the scope of this paper; interested readers can refer to the bibliography for more details.

$\mathfrak{M}(\bar{\kappa})$ are defined. That is, $\langle \bar{\kappa}, p \rangle \in \text{Vocab}(\mathfrak{M})$ if and only if $\mathfrak{M}(\bar{\kappa})$ is defined and, for all $v \in \mathfrak{M}(\bar{\kappa})$, $v(p)$ is defined (where v is a truth assignment to atomic propositions).

Satisfiability and validity of formulae are defined only for these models that provides enough vocabulary, i.e. the vocabulary which is necessary to evaluate a formula in a context sequence. Each formula ϕ in a context sequence $\bar{\kappa}$ implicitly defines its vocabulary, denoted by $\text{Vocab}(\bar{\kappa}, \phi)$, which intuitively consists of the minimal vocabulary necessary to build the formula ϕ in the context sequence $\bar{\kappa}$. More formally, $\text{Vocab}(\bar{\kappa}, \phi)$ is recursively defined as follows:

$$\begin{aligned}\text{Vocab}(\bar{\kappa}, p) &= \{\langle \bar{\kappa}, p \rangle\} \\ \text{Vocab}(\bar{\kappa}, \neg\phi) &= \text{Vocab}(\bar{\kappa}, \phi) \\ \text{Vocab}(\bar{\kappa}, \phi \supset \psi) &= \text{Vocab}(\bar{\kappa}, \phi) \cup \text{Vocab}(\bar{\kappa}, \psi) \\ \text{Vocab}(\bar{\kappa}, \text{ist}(\kappa, \phi)) &= \text{Vocab}(\bar{\kappa}\kappa, \phi)\end{aligned}$$

Definition 2 (Satisfiability and Validity). *Let ϕ and \mathfrak{M} be a formula and a model, such that $\text{Vocab}(\bar{\kappa}, \phi) \subseteq \text{Vocab}(\mathfrak{M})$; ϕ is satisfied in \mathfrak{M} by an assignment $v \in \mathfrak{M}(\bar{\kappa})$ (notationally $\mathfrak{M}, v \models_{\bar{\kappa}} \phi$) according to the following clauses:*

1. $\mathfrak{M}, v \models_{\bar{\kappa}} p$ iff $v(p) = \text{true}$;
2. $\mathfrak{M}, v \models_{\bar{\kappa}} \neg\phi$ iff not $\mathfrak{M}, v \models_{\bar{\kappa}} \phi$;
3. $\mathfrak{M}, v \models_{\bar{\kappa}} \phi \supset \psi$ iff not $\mathfrak{M}, v \models_{\bar{\kappa}} \phi$ or $\mathfrak{M}, v \models_{\bar{\kappa}} \psi$;
4. $\mathfrak{M}, v \models_{\bar{\kappa}} \text{ist}(\kappa, \phi)$ iff for all $v' \in \mathfrak{M}(\bar{\kappa}\kappa)$, $\mathfrak{M}, v' \models_{\bar{\kappa}\kappa} \phi$;
5. $\mathfrak{M} \models_{\bar{\kappa}} \phi$ iff for all $v \in \mathfrak{M}(\bar{\kappa})$; $\mathfrak{M}, v \models_{\bar{\kappa}} \phi$;
6. $\models_{\bar{\kappa}} \phi$ iff for all PLC-model \mathfrak{M} , such that $\text{Vocab}(\bar{\kappa}, \phi) \subseteq \text{Vocab}(\mathfrak{M})$, $\mathfrak{M} \models_{\bar{\kappa}} \phi$.

ϕ is valid in a context sequence $\bar{\kappa}$ if $\models_{\bar{\kappa}} \phi$; ϕ is satisfiable in a context sequence $\bar{\kappa}$ if there is a PLC-model \mathfrak{M} such that $\mathfrak{M} \models_{\bar{\kappa}} \phi$. A set of formulae T is satisfiable at a context sequence $\bar{\kappa}$ if there is a model \mathfrak{M} such that $\mathfrak{M} \models_{\bar{\kappa}} \phi$ for all $\phi \in T$.

According to the above definition, vocabularies affect truth in contexts making each formula outside the vocabulary false. This implies that a PLC-model \mathfrak{M} presents a non classical semantics for all the formulas ϕ such that $\langle \bar{\kappa}, \phi \rangle \notin \text{Vocab}(\mathfrak{M})$. For instance, if a proposition $\langle \bar{\kappa}, p \rangle \notin \text{Vocab}(\mathfrak{M})$ then $\mathfrak{M} \not\models_{\bar{\kappa}} p \vee \neg p$. This “non classical” effect however disappear in the definition of validity. For validity of a formula ϕ is checked by considering only the models whose vocabularies contain ϕ . This means that validity and satisfiability can be formulated by considering only PLC-models with *complete vocabularies*, i.e. PLC-models \mathfrak{M} 's with $\langle \bar{\kappa}, p \rangle \in \text{Vocab}(\mathfrak{M})$ for each $p \in \mathbb{P}$ and $\bar{\kappa} \in \mathbb{K}^*$.

Theorem 1 (Reduction to complete vocabulary). *A formula is valid in PLC if and only if it is satisfied by all the PLC-models with complete vocabulary. Similarly, a formula is satisfiable in PLC if and only if there is a PLC-model with complete vocabulary that satisfies it.*

Ignoring vocabularies, PLC is a multi-modal K extended with the axiom (Δ), on the set of propositions \mathbb{P} . Indeed the Hilbert style axiomatization of validity proposed in [4]—presented in Figure 1—is the modal system K extended with the axiom (Δ).

$$\begin{array}{l}
\text{(PL)} \quad \vdash_{\overline{\kappa}} \phi \quad \text{If } \phi \text{ is an instance of a classical tautology} \\
\text{(K)} \quad \vdash_{\overline{\kappa}} \text{ist}(\kappa, \phi \supset \psi) \supset \text{ist}(\kappa, \phi) \supset \text{ist}(\kappa, \psi) \\
\text{(\Delta)} \quad \vdash_{\overline{\kappa}} \text{ist}(\kappa_1, \text{ist}(\kappa_2, \phi) \vee \psi) \supset \text{ist}(\kappa_1, \text{ist}(\kappa_2, \phi)) \vee \text{ist}(\kappa_1, \psi) \\
\text{(MP)} \quad \frac{\vdash_{\overline{\kappa}} \phi \quad \vdash_{\overline{\kappa}} \phi \supset \psi}{\vdash_{\overline{\kappa}} \psi} \\
\text{(CS)} \quad \frac{\vdash_{\overline{\kappa}} \phi}{\vdash_{\overline{\kappa}} \text{ist}(\kappa, \phi)}
\end{array}$$

Fig. 1. Axioms and inference rules for PLC

2.2 Local Models Semantics and Multi-Context Systems

The version of LMS we present here was presented in [7]. Let $\{L_i\}_{i \in I}$ be a family of languages defined over a set of indexes I (in the following we drop the index $i \in I$). Intuitively, each L_i is the (formal) language used to describe the facts in the context i . In this paper, we assume that I is (at most) countable. Let M_i be the class of all the models (interpretations) of L_i . We call $m \in M_i$ a *local model* (of L_i).

To distinguish the formula ϕ occurring in the context i from the occurrences of the “same” formula ϕ in the other contexts, we write $i : \phi$. We say that $i : \phi$ is a labelled wff, and that ϕ is an L_i -wff. For any set of labeled formulae Γ , $\Gamma_i = \{\phi \mid i : \phi \in \Gamma\}$.

Definition 3 (Compatibility chain³). A compatibility chain $\mathbf{c} = \{c_i \subseteq M_i\}_{i \in I}$ is a family of set of models of L_i such that each c_i is either empty or a singleton. We call c_i the i -th element of \mathbf{c} . A compatibility chain is nonempty at least one of its components is nonempty.

A compatibility chain represents a set of “instantaneous snapshots of the world” each of which is taken from the point of view of the associated context. Due to the fact that contexts describe points of view of the *same world*, certain combinations of snapshots can never happen. A compatibility relation—defined in the following—is represent the “admissible” combinations snapshots, i.e., those combination of snapshots that are compatible with the state of the world (never modeled in LMS).

Definition 4 (Compatibility relation and LMS-model). A compatibility relation is a set of compatibility chains. A LMS-model is a compatibility relation that contains a nonempty compatibility chain.

Definition 5 (Satisfiability and Entailment). Let \models be the propositional classical satisfiability relation. We extend the definition of \models as follows:

1. for any $\phi \in L_i$, $c_i \models \phi$ if, for all $m \in c_i$, $m \models \phi$;
2. $\mathbf{c} \models i : \phi$ if $c_i \models \phi$;
3. $\mathbf{C} \models i : \phi$ if for all $\mathbf{c} \in \mathbf{C}$, $\mathbf{c} \models i : \phi$;
4. $\Gamma_i \models_{c_i} \phi$ if, for all $m \in c_i$, if $m \models \Gamma_i$, then $m \models \phi$;
5. $\Gamma \models_{\mathbf{c}} i : \phi$ if, either there is a $j \neq i$, such that $c_j \not\models \Gamma_j$, or $\Gamma_i \models_{c_i} \phi$;

³ For the sake of this paper, it is not necessary to introduce the more general definition of compatibility chain presented in [7].

6. $\Gamma \models_{\mathbf{c}} i : \phi$, if for all $\mathbf{c} \in \mathbf{C}$, $\Gamma \models_{\mathbf{c}} i : \phi$;
7. For any class of models \mathfrak{C} , $\Gamma \models_{\mathfrak{C}} i : \phi$, if, for all models $\mathbf{C} \in \mathfrak{C}$, $\Gamma \models_{\mathbf{C}} i : \phi$.

We adopt the usual terminology of satisfiability and entailment for the statements about the relation \models . Thus we say that \mathbf{c} satisfies ϕ at i , or equivalently, that ϕ is true in c_i , to refer to the fact that $c_i \models \phi$. We say that Γ entails $i : \phi$ in \mathbf{c} to refer to the fact that $\Gamma \models_{\mathbf{c}} i : \phi$. Similar terminology is adopted for $\Gamma \models_{\mathbf{C}} i : \phi$ and $\Gamma \models i : \phi$.

MultiContext Systems (MCS) [9] are a class of proof systems for LMS⁴. The key notion of an MCS is that of bridge rule.

Definition 6 (Bridge Rule). A bridge rule on a set of indices I is a schema of the form:

$$\frac{i_1 : A_1 \quad \dots \quad i_n : A_n}{i : A} \text{ br}$$

where $i_1, \dots, i_n, i \in I$ and A_1, \dots, A_n, A are schematic formulae. A bridge rule can be associated with a restriction, namely a criterion which states the conditions of its applicability.

Definition 7 (MultiContext System (MCS)). A Multicontext System (MCS) for a family of languages $\{L_i\}$, is a pair $\text{MS} = \langle \{C_i = \langle L_i, \Omega_i, \Delta_i \rangle\}, \Delta_{br} \rangle$, where each $C_i = \langle L_i, \Omega_i, \Delta_i \rangle$ is a theory (on the language L_i , with axioms Ω_i and natural deduction inference rules Δ_i), and Δ_{br} is a set of bridge rules on I .

MCSs are a generalization of Natural Deduction (ND) systems [12]. The generalization amounts to using formulae tagged with the language they belong to. This allows for the effective use of the multiple languages. The deduction machinery of an MCS is the composition of two kinds of inference rules: *local rules*, namely the inference rules in each Δ_i , and *bridge rules*. Local rules formalize reasoning within a context (i.e. are only applied to formulae with the same index), while bridge rules formalize reasoning across different contexts.

Deductions in a MCS are trees of formulae which are built starting from a finite set of assumptions and axioms, possibly belonging to distinct languages, and by a finite number of application of local rules and bridge rules.

2.3 Lifting axioms and bridge rules

A crucial feature of a formal theory of context—contained both in LMS/MCS and PLC—is the possibility to specify relations between facts of different contexts. This is an essential feature of contextual reasoning, as contexts are not simply unrelated representations, but typically are different representations of the same world. For example, two contexts may describe the same piece of world from the same perspective, but at different level of detail; or may describe the same piece of the world, only from different perspectives. PLC formalizes relations between contexts via *lifting axioms*, while LMS/MCS uses *bridge rules*. Lifting axioms are defined as

⁴ In this paper, we present a definition of MC system which is suitable for our purposes. For a fully general presentation, see [9].

“... axioms which relate the truth in one context to the truth in another context. Lifting is the process of inferring what is true in one context based on what is true in another context by the means of lifting axioms” [10]

The general form of lifting axioms is the following:

$$ist(\kappa_1, \phi_1) \wedge \dots \wedge ist(\kappa_n, \phi_n) \supset ist(\kappa, \phi) \quad (1)$$

As any formula in PLC, lifting axioms must be stated in a context. The lifting axiom above can be intuitively read as “ a formula ϕ is true in a context κ if the formulas ϕ_1, \dots, ϕ_n are true in the contexts $\kappa_1 \dots \kappa_n$ respectively”.

Bridge rules, introduced in Definition 6, are inference rules whose premises and conclusion belong to different contexts. The general form of bridge rules is described in [9], and can be thought as a generalization of a Natural Deduction inference rules [12]. For the sake of this paper we consider bridge rules of the form:

$$\frac{\kappa_1 : \phi_1 \quad \dots \quad \kappa_n : \phi_n}{\kappa : \phi} br \quad (2)$$

The above bridge rules roughly formalizes the same intuition as that formalized by lifting axioms (1).

The main difference between lifting axioms and bridge rules is that lifting axioms are stated in an external context, which must be expressive enough to represent facts of all the contexts involved (using *ist*-formulae), whereas bridge rules allow stating relations between contexts without the need of an external context. There are situations where having an external context may be an advantage (for example, when one needs to reason about lifting axioms themselves, e.g. to discover that a lifting axiom is redundant, or leads to inconsistent contexts). However, in general, specifying an external context can be very costly—especially when there are many interconnected contexts—as the external context essentially duplicates the information of each context. LMS/MCS allows both solutions. Indeed, instead of using bridge rules to lift a fact ϕ from κ_1 to κ_2 , one can define a third context connected with κ_1 and κ_2 via bridge rules and explicitly add an axiom like (1) to this new context⁵. This very last observation constitutes the underlying idea of the proof of the fact that PLC can be embedded in LMS/MCS described in [3]. The converse question, i.e., if LMS/MCS can be reconstructed in PLC will be answered in the rest of this paper. As a consequence we will have a sharper intuition on the analogies and differences between bridge rules and lifting axioms.

3 Reconstructing LMS/MCS in PLC

A comparison of the two logical systems should be done on a common ground, we therefore, consider only LMS/MCS with homogeneous languages in each context, as PLC does not properly support contextual languages. Similarly we restrict the comparison to LMS/MCS in which all contexts have the same inference engine, which is

⁵ This approach was used, for example, in the solution to the qualification problem presented in [2].




Fig. 2. Embedding LMS/MCS into PLC

contexts are all classical propositional theories. Finally for the sake of this comparison, we consider only ground bridge rules, which are bridge rules formulated using formulas of the languages and not schema.

The general intuition for encoding an MCS into PLC is shown in Figure 2. Given a MCS with I contexts, we define a PLC with I contexts (one of each context in MCS) and an additional meta-context ε . In ε , the content of each context and the compatibility relations (bridge rules) between contexts are described via *ist*-formulas. The representation of the content of the MCS contexts is quite straightforward: any formula $i : \phi$ in MCS is translated in a formula $\varepsilon : ist(i, \phi)$ in PLC. For bridge rules, the translation is more tricky. Indeed, the intuition that a bridge rule like (2) is translated into the lifting axiom (1) does not work. Indeed, the following theorem proves a first important fact, namely that in general bridge rules cannot be modeled in PLC only as a set of lifting axioms. Let \mathbb{BR}_I be the set of bridge rules between a set I of contexts with language $L_i = L_j$ (for $i, j \in I$).

Let $\mathbb{LA} \subset \mathbb{W}$ the set of lifting axioms among the contexts I expressed in a new context ε not in I . The notation $\Gamma \vdash_{br} i : \phi$ stands for: $i : \phi$ is derivable from Γ in the MCS with the set I of contexts, no axioms, and the set br of bridge rules.

Theorem 2. *There is no transformation $la : \mathbb{BR} \rightarrow \mathbb{LA}$ such that for any finite subset $br \subseteq \mathbb{BR}$ of bridge rules:*

$$\begin{aligned} & i_1 : \phi_1, \dots, i_n : \phi_n \vdash_{br} i : \phi \\ & \text{if and only if} \\ & \vdash_{\varepsilon} \bigwedge_{br \in br} la(br) \supset (ist(i_1, \phi_1) \wedge \dots \wedge ist(i_n, \phi_n) \supset ist(i, \phi)) \end{aligned} \quad (3)$$

Proof. The theorem is proved by counterexample. Consider the following two bridge rules.

$$\frac{1 : p}{2 : q} br_{12} \quad \frac{2 : q}{1 : r} br_{21} \quad (4)$$

where p , q , and r are three distinct propositional letters. Let br_{12} and br_{21} be both unrestricted (i.e., always applicable). Considering br_{12} or br_{21} separately, they do not

affect theoremhood in either context 1 and 2. Formally, for $i = 1, 2$, $\vdash_{br_{12}} i : \phi$ if and only if ϕ is a propositional tautology, and analogously $\vdash_{br_{21}} i : \phi$ if and only if ϕ is a tautology (see [6] for a proof of a similar fact). Instead, combining br_{12} and br_{21} in the same MCS, new theorems, which are not tautologies, can be proved. An example of such a theorem is $1 : p \supset r$, and its proof is the following:

$$\frac{\frac{\frac{1 : p^{(*)}}{2 : q} br_{12}}{1 : r} br_{21}}{1 : p \supset r} \supset \text{I(Discharging the assumption } ^{(*)})$$

Let $la(br_{12})$ and $la(br_{21})$ be the following general conjunctions of lifting axioms:

$$la(br_{12}) = \bigwedge_{m=1}^M \left(\bigwedge_{k=1}^{K_m} ist(i_{mk}, \phi_{mk}) \supset ist(j_m, \Psi_m) \right) \quad (5)$$

$$la(br_{21}) = \bigwedge_{n=M+1}^N \left(\bigwedge_{k=1}^{K_n} ist(i_{nk}, \phi_{nk}) \supset ist(j_n, \Psi_n) \right) \quad (6)$$

where i_{mk} , i_{nk} , and j_n are either 1 or 2. Posing $\mathbf{br} = \{br_{12}, br_{21}\}$, we have that $\bigwedge_{br \in \mathbf{br}} la(br)$ is equivalent to the following formula:

$$\bigwedge_{n=1}^N \left(\bigwedge_{k=1}^{K_n} ist(i_{nk}, \phi_{nk}) \supset ist(j_n, \Psi_n) \right)$$

Suppose, by contradiction, that equivalence (3) holds. Since $1 : p \supset r$ is derivable via br_{12} and br_{21} , we have that

$$\vdash_{\varepsilon} \bigwedge_{br \in \mathbf{br}} la(br) \supset ist(1, p \supset r) \quad (7)$$

Consider the PLC-model \mathfrak{M} with $\mathfrak{M}(1)$ equal to all the assignments for L_1 and $\mathfrak{M}(2)$ equal to all the assignments for L_2 . Since $p \supset r$ is not valid, there is an assignment \mathbf{v} such $\mathbf{v} \not\models p \supset r$. By construction, $\mathfrak{M}(1)$ contains all the assignments to L_1 . As a consequence $\mathfrak{M} \not\models_{\varepsilon} ist(1, p \supset r)$. Soundness of PLC and (7) entail that $\mathfrak{M} \not\models_{\varepsilon} \bigwedge_{br \in \mathbf{br}} la(br)$, and therefore, that there is an $n \leq N$ such that

$$\mathfrak{M} \models_{\varepsilon} \bigwedge_{k=1}^{K_n} ist(i_{nk}, \phi_{nk}) \quad \text{and} \quad \mathfrak{M} \not\models_{\varepsilon} ist(j_n, \Psi_n) \quad (8)$$

The left part of (8) states that each ϕ_{nk} (with $1 \leq k \leq K_n$) is a tautology, as it must be true in all the assignments in $\mathfrak{M}(i_{nk})$. As a consequence we have that

$$\vdash_{\varepsilon} \bigwedge_{k=1}^{K_n} ist(i_{nk}, \phi_{nk}) \quad (9)$$

The right part of (8) states that there is an assignment $v \in \mathfrak{M}(j_n)$ such that $v \not\models \psi_n$, i.e., ψ_n is not a tautology. Let us consider two cases $n \leq M$, and $n > M$. In the first case we have, due to the definition of $la(br_{12})$, we have that

$$\vdash_{\varepsilon} la(br_{12}) \supset \left(\bigwedge_{k=1}^{K_n} ist(i_{nk}, \phi_{nk}) \supset ist(j_n, \psi_n) \right) \quad (10)$$

while, in the second one we have:

$$\vdash_{\varepsilon} la(br_{21}) \supset \left(\bigwedge_{k=1}^{K_n} ist(i_{nk}, \phi_{nk}) \supset ist(j_n, \psi_n) \right) \quad (11)$$

By applying Modus Ponens to (10) and (9), or to (11) and (9), we obtain one of the following two consequences:

$$\vdash_{\varepsilon} la(br_{12}) \supset ist(j_n, \psi_n) \quad \text{or} \quad \vdash_{\varepsilon} la(br_{21}) \supset ist(j_n, \psi_n)$$

If the equivalence holds we would have that, either $\vdash_{br_{12}} j_n : \psi_n$ or $\vdash_{br_{21}} j_n : \psi_n$, while ψ_n is not a tautology. But this is a contradiction.

Lifting axioms are not the only possible *ist*-formulas. There are *ist*-formulas, as for instance $\neg ist(i, \phi)$ or $ist(i, \phi) \supset ist(j, \psi) \vee ist(k, \theta)$, which are not lifting axioms but could be used to represent the compatibility relation formulated by bridge rules. So the question arises of whether bridge rules can be encoded by generic *ist*-formulas in some external context ε . In the following we show that this is the case for MCSs with a finite number of contexts and with finite languages.

Theorem 3. *There is a transformation $a(\cdot)$ from finite sets $\mathbf{br} \in \mathbb{BR}_I$ of bridge rules to *ist*-axioms, and a context ε such that:*

$$\begin{aligned} & i_1 : \phi_1, \dots, i_n : \phi_n \vdash_{\mathbf{br}} i : \phi \\ & \text{if and only if} \\ & \vdash_{\varepsilon} a(\mathbf{br}) \supset ist(i_1, \phi_1) \wedge \dots \wedge ist(i_n, \phi_n) \supset ist(i, \phi) \end{aligned} \quad (12)$$

Proof. The proof is constructive, i.e., we define the transformation $a(\cdot)$ for each set of bridge rules. The definition of $a(\mathbf{br})$ passes through a syntactic encoding of the LMS-models for \mathbf{br} .

Let C be a LMS-model (i.e. a set of chains), the set of PLC-models \mathfrak{M}_C corresponding to C is defined as follows:

$$\mathfrak{M}_C = \left\{ \mathfrak{M}_{C'} \mid \begin{array}{l} C' \text{ is a subset of } C \text{ such that for any } i \in I, \mathfrak{M}(i) = \\ \bigcup_{c \in C'} c_i \end{array} \right\} \quad (13)$$

Let \mathbf{C} be the set of LMS-models for \mathbf{br} . The set $\mathfrak{M}_{\mathbf{C}}$ is defined as $\bigcup_{C \in \mathbf{C}} \mathfrak{M}_C$. Let us prove that the logical consequence defined by \mathbf{C} can be represented by valid formulas in the set of models $\mathfrak{M}_{\mathbf{C}}$, i.e., that:

$$\begin{aligned} & i_1 : \phi_1, \dots, i_n : \phi_n \models_{\mathbf{C}} i : \phi \\ & \text{if and only if for all } \mathfrak{M} \in \mathfrak{M}_{\mathbf{C}} \\ & \mathfrak{M} \models_{\varepsilon} ist(i_1, \phi_1) \wedge \dots \wedge ist(i_n, \phi_n) \supset ist(i, \phi) \end{aligned} \quad (14)$$

Suppose that $i_1 : \phi_1, \dots, i_n : \phi_n \models_{\mathbf{C}} i : \phi$. Let $\mathfrak{M}_{C'} \in \mathfrak{M}_{\mathbf{C}}$, with $C' \subseteq C \in \mathbf{C}$. Suppose that $\mathfrak{M}_{C'} \models_{\varepsilon} \text{ist}(i_k, \phi_k)$ for any $1 \leq k \leq n$. This implies that for all $c \in C'$, $c_{i_k} \models \phi_k$. From the hypothesis we have that $c_i \models \phi$, and therefore that $\mathfrak{M}_{C'} \models_{\varepsilon} \text{ist}(i, \phi)$.

Vice-versa, let us prove that $\mathfrak{M} \models_{\varepsilon} \text{ist}(i_1, \phi_1) \wedge \dots \wedge \text{ist}(i_n, \phi_n) \supset \text{ist}(i, \phi)$ for all $\mathfrak{M} \in \mathfrak{M}_{\mathbf{C}}$ implies that for any model C of \mathbf{br} and for any chain $c \in C$, if $c_{i_k} \models \phi_k$ for $1 \leq k \leq n$, then $c_i \models \phi$. Notice that, for any $c \in C \in \mathbf{C}$ we have that $\mathfrak{M}_{\{c\}} \in \mathfrak{M}_{\mathbf{C}}$. By definition (see equation (13)), $\mathfrak{M}_{\{c\}}$ is such that $\mathfrak{M}(i) = c_i$. By hypothesis we have that $\mathfrak{M}_{\{c\}} \models_{\varepsilon} \text{ist}(i_1, \phi_1) \wedge \dots \wedge \text{ist}(i_n, \phi_n) \supset \text{ist}(i, \phi)$, which implies that if $c_{i_k} \models \phi_k$ for all $1 \leq k \leq n$, then $c_i \models \phi$.

To define $a(\mathbf{br})$ we proceed as follows: for any PLC model $\mathfrak{M} \in \mathfrak{M}_{\mathbf{C}}$ we find a formula $\phi_{\mathfrak{M}}$, that axiomatizes exactly \mathfrak{M} . Then the axiomatization of $\mathfrak{M}_{\mathbf{C}}$ can be obtained by the disjunction of all the axiomatization $\phi_{\mathfrak{M}}$ associated to each single PLC-model \mathfrak{M} of $\mathfrak{M}_{\mathbf{C}}$ (this definition is possible because $\mathfrak{M}_{\mathbf{C}}$ is finite).

Let $\mathfrak{M} \in \mathfrak{M}_{\mathbf{C}}$, and let $\phi_{\mathfrak{M}}$ be the following formula

$$\bigwedge_{i \in I} \left(\text{ist}(i, \bigvee_{v \in \mathfrak{M}(i)} \phi_v) \wedge \bigwedge_{v \in \mathfrak{M}(i)} \neg \text{ist}(i, \neg \phi_v) \right) \quad (15)$$

where ϕ_v is the conjunction of all the literals verified by the assignment v . (15) is a finite formula, for the set I of context is finite and the set of literals in each context is finite too. By adding (15) as axioms in the context ε we obtain an PLC that is satisfied only by the model \mathfrak{M} . Let

$$a(\mathbf{br}) = \bigvee_{\mathfrak{M} \in \mathfrak{M}_{\mathbf{C}}} \phi_{\mathfrak{M}}$$

Let us now prove the equivalence (12). By soundness and completeness of \mathbf{br} , $i_1 : \phi_1, \dots, i_n : \phi_n \vdash_{\mathbf{br}} i : \phi$ holds if and only if

$$i_1 : \phi_1, \dots, i_n : \phi_n \models_{\mathbf{C}} i : \phi \quad (16)$$

By (14), we have that (16) holds if and only if for all $\mathfrak{M} \in \mathfrak{M}_{\mathbf{C}}$,

$$\mathfrak{M} \models_{\varepsilon} \text{ist}(i_1, \phi_1) \wedge \dots \wedge \text{ist}(i_n, \phi_n) \supset \text{ist}(i, \phi) \quad (17)$$

By construction of $a(\mathbf{br})$, $\mathfrak{M} \models_{\varepsilon} a(\mathbf{br})$, if and only if $\mathfrak{M} \in \mathfrak{M}_{\mathbf{C}}$. This implies that (17) holds if and only if

$$\models_{\varepsilon} a(\mathbf{br}) \supset \text{ist}(i_1, \phi_1) \wedge \dots \wedge \text{ist}(i_n, \phi_n) \supset \text{ist}(i, \phi) \quad (18)$$

Finally, soundness and completeness of PLC implies that (18) holds if and only if $\vdash_{\varepsilon} a(\mathbf{br}) \supset \text{ist}(i_1, \phi_1) \wedge \dots \wedge \text{ist}(i_n, \phi_n) \supset \text{ist}(i, \phi)$, which concludes our proof.

Theorem 3 shows that the translation from bridge rules to generic *ist*-formulas is possible. However, it is still open the question if a *set of bridge rules* can be translated in *set of ist*-formulas which are lifting axioms. Here the answer is negative.

Theorem 4. *There does not exist a transformation $la(\cdot)$ from finite sets $\mathbf{br} \in \mathbb{BR}_I$ of bridge rules to a conjunction of lifting axioms, and a context ε such that:*

$$\begin{aligned} & i_1 : \phi_1, \dots, i_n : \phi_n \vdash_{\mathbf{br}} i : \phi \\ & \text{if and only if} \\ \vdash_{\varepsilon} la(\mathbf{br}) \supset \text{ist}(i_1, \phi_1) \wedge \dots \wedge \text{ist}(i_n, \phi_n) \supset \text{ist}(i, \phi) \end{aligned} \quad (19)$$

Proof. The proof is by counterexample. Consider the following LMS/MCS composed of two languages L_1 and L_2 containing the single proposition p and q respectively. Consider the following set of bridge rules:

$$\frac{1 : \neg p}{2 : q} br_{12} \quad \frac{1 : p}{2 : \neg q} br_{12}^r \quad \frac{2 : \neg q}{1 : p} br_{21} \quad \frac{2 : q}{1 : \neg p} br_{21}^r \quad \frac{1 : \perp}{2 : \perp} \perp_{12} \quad \frac{2 : \perp}{1 : \perp} \perp_{21}$$

where all the rules but those indexed with r are non restricted. The chains that satisfies the un-restricted bridge rules are:

$$c = \langle p, \bar{q} \rangle, \quad d = \langle \bar{p}, q \rangle, \quad e = \langle p, q \rangle$$

where p denotes the model in which p is true and \bar{p} the model in which p is false. Similarly for q and \bar{q} . The compatibility relations that satisfy the restricted bridge rules are:

$$\{c\}, \quad \{d\}, \quad \{e\}, \quad \{c, e\}, \quad \{d, e\}$$

Following the definitions given in the proof of Theorem 3 one can see that the *ist*-formulas associated to the set of LMS-models above is equivalent to the following:

$$\neg \text{ist}(1, \perp) \wedge \neg \text{ist}(2, \perp) \wedge (\text{ist}(1, p) \vee \text{ist}(2, q))$$

Notice that the above formula cannot be reduced in the form of a conjunction of lifting axioms.

4 Discussion

In the previous section we have given two somehow opposite results: namely Theorem 2 and Theorem 3. Intuitively the former states that bridge rules cannot be transformed in lifting axioms, so that this translation composes; the latter states that finite sets of bridge rules can be translated into a finite sets of *ist*-formulas. This two results constitutes two boundaries within in which one can look for further correspondence results.

Theorem 2 states that a set of bridge rules cannot be translated in a set of lifting axiom simply by translating each single bridge rule into a lifting axiom. This is intuitively due to the fact that bridge rules allows for *inter-leaving of local reasonings*, while lifting axioms do not. Inter-leaving of local reasonings denotes a reasoning pattern which is composed by a sequence of chunks of local reasoning. This reasoning pattern allow for cyclic contextual reasoning. For instance, one starts in a context $\bar{\kappa}_1$ switch in a context $\bar{\kappa}_2$ then, switch back in the context $\bar{\kappa}_1$ and then again in the context $\bar{\kappa}_2$. Consider the

bridge rules given in the counter-example of the proof of Theorem 2, plus the bridge rule:

$$\frac{1 : p \supset r}{2 : s} br'_{12}$$

An example of inter-leaving of local reasonings is the following proof of $2 : s$.

$$\frac{\frac{\frac{1 : p^{(*)}}{2 : q} br_{12}}{1 : r} br_{21}}{1 : p \supset r} \supset \text{I(Discharging the assumption } ^{(*)})}{2 : s} br'_{12}$$

PLC does not support inter-leaving of local reasonings. The reasoning pattern implemented in PLC, instead, is “bottom up combination of local reasonings” in a tower of transcendent contexts. In this reasoning pattern one starts from the bottom of a tower of contexts, he locally reasons in a (set of) contexts, say $\kappa_1, \dots, \kappa_n$, then he transcends to by (CS) to $\kappa_1, \dots, \kappa_n$ and he locally reasons there (e.g., by using the lifting axioms), then he transcends again to $\kappa_1 \dots \kappa_{n-1}$. Eventually, he stops at some point of the tower. Theorem 2 shows that “inter-leaving of local reasonings” cannot be reduced to “bottom-up combination of local reasonings”, simply by rewriting bridge rules in lifting axioms.

Theorem 3, instead, provides a way to translate LMS/MCS into PLC. Furthermore, the counterexample provides in Theorem 4 show that the one proposed in Theorem 3 is the “simplest” translation, i.e., that any other translation cannot be reduced to a conjunction of lifting axioms. If one wants to rewrite bridge rules into lifting axioms he has to take into account the following two points:

1. in embedding LMS/MCS into PLC, bridge rules are not directly translated into implications, as one could expect. For instance the MCS containing the bridge rules (4) are not translated in the axioms of the form $ist(1, p) \supset ist(2, q)$ and $ist(2, q) \supset ist(1, p)$ as shown by Theorem 2. Indeed, the PLC formalizing the bridge rules (4) is not computed by a direct (syntactic) translation of the bridge rules of MCS. The axioms (15) are determined by enumerating all the LMS-models of (4) and by axiomatizing them in a PLC-formula. This is not a problem of our translation, indeed any alternative translation which is equivalent to the axiom (15) with more than two contexts cannot be reduced to a set of lifting axioms.
2. the above translation is not compositional. This means that, if PLC_1 and PLC_2 are the representations of MCS_1 and MCS_2 respectively, then the translation of $MCS_1 \cup MCS_2$ (i.e., the MCS containing the axioms and the bridge rules of both MCS_1 and MCS_2) cannot be defined as the union of the axioms of PLC_1 and PLC_2 .

5 Conclusions

This paper concludes the technical and conceptual comparison between LMS/MCS and PLC we started in [3]. The results presented in this paper will help clarify the technical and conceptual differences between the two approaches, by showing how bridge rules can be represented in lifting axioms or in *ist*-formulas. In particular we have shown that:

1. Bridge rules cannot be translated in lifting axioms;
2. sets of bridge rules can be translated in set of *ist*-formulas that cannot be reduced to conjunction of lifting axioms.

We stress the fact that the two formalisms do not provide equivalent solutions, even if they share some of the intuitive motivations for having a formal theory of context in AI. The technical results we provide in the previous paper [3] and in this paper allow us to justify the conclusion that LMS/MCS is more general than PLC, and that it captures some patterns of contextual reasoning in a more intuitive and straightforward way. Moreover, in our opinion, the restrictions needed to reconstruct LMS/MCS in PLC have a significant impact on the appropriateness of PLC to capture the intuitive desiderata of a logic of context in AI.

References

1. V. Akman, P. Bouquet, R. Thomason, and R.A. Young, editors. *Modeling and Using Context*, volume 2116 of *Lecture Notes in Artificial Intelligence*. Springer Verlag, 2001. Proceedings of CONTEXT'2001 – Third International and Interdisciplinary Conference on Modeling and Using Context (27–30 July 2001, Dundee, Scotland).
2. P. Bouquet and F. Giunchiglia. Reasoning about theory adequacy: A new solution to the qualification problem. *Fundamenta Informaticae*, 23(2–4):247–262, June, July, August 1995. Also IRST-Technical Report 9406-13, IRST, Trento, Italy.
3. P. Bouquet and L. Serafini. Two formalizations of context: a comparison. In Akman et al. [1], pages 87–101. Proceedings of CONTEXT'2001 – Third International and Interdisciplinary Conference on Modeling and Using Context (27–30 July 2001, Dundee, Scotland).
4. S. Buvač, V. Buvač, and I.A. Mason. Metamathematics of Contexts. *Fundamentae Informaticae*, 23(3), 1995.
5. S. Buvač and Ian A. Mason. Propositional logic of context. In R. Fikes and W. Lehnert, editors, *Proc. of the 11th National Conference on Artificial Intelligence*, pages 412–419, Menlo Park, California, 1993. American Association for Artificial Intelligence, AAAI Press.
6. G. Criscuolo, F. Giunchiglia, and L. Serafini. A Foundation for Metareasoning, Part I: The proof theory. Technical Report 0003-38, IRST, Trento, Italy, 2000. To be published in the *Journal of Logic and Computation*.
7. C. Ghidini and F. Giunchiglia. Local Models Semantics, or Contextual Reasoning = Locality + Compatibility. *Artificial Intelligence*, 127(2):221–259, April 2001.
8. F. Giunchiglia. Contextual reasoning. *Epistemologia, special issue on I Linguaggi e le Macchine*, XVI:345–364, 1993. Short version in Proceedings IJCAI'93 Workshop on Using Knowledge in its Context, Chambery, France, 1993, pp. 39–49. Also IRST-Technical Report 9211-20, IRST, Trento, Italy.
9. F. Giunchiglia and L. Serafini. Multilanguage hierarchical logics or: how we can do without modal logics. *Artificial Intelligence*, 65(1):29–70, 1994. Also IRST-Technical Report 9110-07, IRST, Trento, Italy.
10. R.V. Guha. Contexts: a Formalization and some Applications. Technical Report ACT-CYC-423-91, MCC, Austin, Texas, 1991.
11. J. McCarthy. Notes on Formalizing Context. In *Proc. of the 13th International Joint Conference on Artificial Intelligence*, pages 555–560, Chambery, France, 1993.
12. D. Prawitz. *Natural Deduction - A proof theoretical study*. Almqvist and Wiksell, Stockholm, 1965.